

Understanding **CURRENT PROCEDURAL TERMINOLOGY & HCPCS** Coding Systems

2022



Mary Jo Bowie

MS, BS, AAS, RHIA

Understanding **CURRENT PROCEDURAL TERMINOLOGY & HCPCS** Coding Systems

2022



Mary Jo Bowie
MS, BS, AAS, RHIA



Australia • Brazil • Canada • Mexico • Singapore • United Kingdom • United States

Copyright 2023 Cengage Learning. All Rights Reserved. May not be copied, scanned, or duplicated, in whole or in part. WCN 02-200-322

Copyright 2023 Cengage Learning. All Rights Reserved. May not be copied, scanned, or duplicated, in whole or in part. Due to electronic rights, some third party content may be suppressed from the eBook and/or eChapter(s). Editorial review has deemed that any suppressed content does not materially affect the overall learning experience. Cengage Learning reserves the right to remove additional content at any time if subsequent rights restrictions require it.

This is an electronic version of the print textbook. Due to electronic rights restrictions, some third party content may be suppressed. Editorial review has deemed that any suppressed content does not materially affect the overall learning experience. The publisher reserves the right to remove content from this title at any time if subsequent rights restrictions require it. For valuable information on pricing, previous editions, changes to current editions, and alternate formats, please visit www.cengage.com/highered to search by ISBN#, author, title, or keyword for materials in your areas of interest.

Important Notice: Media content referenced within the product description or the product text may not be available in the eBook version.

***Understanding Current Procedural
Terminology & HCPCS Coding Systems,
2022 edition***
Mary Jo Bowie

SVP, Higher Education & Skills Product: Erin Joyner

VP, Product Management, Learning Experiences:
Thais Alencar

Product Director: Jason Fremder

Sr. Product Manager: Stephen G. Smith

Senior Director, Content Creation: Rebecca von
Gillern

Executive Director, Learning: Natalie Skadra

Manager, Instructional Design: Erin Doppke

Learning Designer: Kaitlin Schlicht

Content Manager: Mark Peplowski

Product Assistant: Dallas Dudley

VP, Product Marketing: Jason Sakos

Sr. IP Analyst: Ashley Maynard

IP Manager: Alexandra Ricciardi

Digital Delivery Quality Partner: Lisa Christopher

Designer: Felicia Bennett

Cover Image Source: antishock/Shutterstock.com

© 2023, 2022, 2021

© 2023 Cengage Learning, Inc. ALL RIGHTS RESERVED.

WCN: 02-300

No part of this work covered by the copyright herein may be reproduced or distributed in any form or by any means, except as permitted by U.S. copyright law, without the prior written permission of the copyright owner.

Unless otherwise noted, all content is © Cengage Learning, Inc.

CPT Publications are published by the American Medical Association and CPT is a registered trademark of the American Medical Association. The American Medical Association is not affiliated with Cengage and has not sponsored, endorsed or licensed this publication.

For product information and technology assistance, contact us at
**Cengage Customer & Sales Support, 1-800-354-9706 or
support.cengage.com.**

For permission to use material from this text or product, submit all
requests online at **www.copyright.com.**

Library of Congress Control Number: 2021922998

ISBN: 978-0-357-62183-7

Cengage

200 Pier 4 Boulevard
Boston, MA 02210
USA

Cengage is a leading provider of customized learning solutions with employees residing in nearly 40 different countries and sales in more than 125 countries around the world. Find your local representative at:
www.cengage.com.

To learn more about Cengage platforms and services, register or access your online learning solution, or purchase materials for your course, visit
www.cengage.com.

Notice to the Reader

Publisher does not warrant or guarantee any of the products described herein or perform any independent analysis in connection with any of the product information contained herein. Publisher does not assume, and expressly disclaims, any obligation to obtain and include information other than that provided to it by the manufacturer. The reader is expressly warned to consider and adopt all safety precautions that might be indicated by the activities described herein and to avoid all potential hazards. By following the instructions contained herein, the reader willingly assumes all risks in connection with such instructions. The publisher makes no representations or warranties of any kind, including but not limited to, the warranties of fitness for particular purpose or merchantability, nor are any such representations implied with respect to the material set forth herein, and the publisher takes no responsibility with respect to such material. The publisher shall not be liable for any special, consequential, or exemplary damages resulting, in whole or part, from the readers' use of, or reliance upon, this material.

Printed in the United States of America
Print Number: 01 Print Year: 2021

TABLE OF CONTENTS

Preface	ix	Professional Component— Modifier 26	20	Minimum Assistant Surgeon— Modifier 81	27
How to Use the Textbook	xiii	Multiple Outpatient Hospital E/M Encounters on the Same Date—Modifier 27	20	Assistant Surgeon (When Qualified Resident Surgeon Is Not Available in a Teaching Facility)— Modifier 82	28
Chapter 1: Introduction to Current Procedural Terminology	1	Mandated Services—Modifier 32	21	Reference (Outside) Laboratory— Modifier 90	28
Introduction	1	Preventive Service—Modifier 33	21	Repeat Clinical Diagnostic Laboratory Test—Modifier 91	28
History of Current Procedural Terminology	2	Anesthesia by Surgeon— Modifier 47	21	Alternative Laboratory Platform Testing—Modifier 92	28
The Structure and Design of CPT	2	Bilateral Procedure—Modifier 50	21	Synchronous Telemedicine Service Rendered Via a Real-Time Interactive Audio and Video Telecommunications System—Modifier 95	29
The Introduction	3	Multiple Procedures—Modifier 51	22	Habilitative Services— Modifier 96	29
Symbols	3	Reduced Services—Modifier 52	22	Rehabilitative Services— Modifier 97	29
Sections, Subsections, Categories, Subcategories, and Headings of the CPT Manual	6	Discontinued Procedure— Modifier 53	22	Multiple Modifiers—Modifier 99	30
Guidelines	7	Surgical Care Only—Modifier 54	23	HCPCS Level II Modifiers	30
Index	8	Postoperative Management Only—Modifier 55	23	Level II—HCPCS Alphanumeric Modifiers	30
Appendices	8	Preoperative Management Only—Modifier 56	23	Additional Modifiers F to G9	32
CPT as Part of HCPCS	10	Decision for Surgery—Modifier 57	23	G Modifiers	33
HCPCS	10	Staged or Related Procedure or Service by the Same Physician or Other Qualified Health Care Professional During the Postoperative Period—Modifier 58	24	Modifiers J through V	33
Summary	11	Distinct Procedural Service— Modifier 59	24	Ambulance Origin and Destination Modifiers	35
Internet Links	11	Two Surgeons—Modifier 62	25	Summary	35
Chapter Review	11	Procedure Performed on Infants Less Than 4 kg—Modifier 63	25	Internet Links	36
Coding Assignments	12	Surgical Team—Modifier 66	25	Chapter Review	36
Short Answer	12	Discontinued Outpatient Hospital/ Ambulatory Surgery Center (ASC) Procedure Prior to the Administration of Anesthesia—Modifier 73	26	Case Studies	37
Chapter 2: Modifiers	14	Discontinued Outpatient Hospital/ Ambulatory Surgery Center (ASC) Procedure After Administration of Anesthesia—Modifier 74	26	Chapter 3: Evaluation and Management	40
Introduction	15	Repeat Procedure or Service by Same Physician or Other Qualified Health Care Professional— Modifier 76	26	Introduction	41
Definition and Purposes of Modifiers	15	Repeat Procedure or Service by Another Physician or Other Qualified Health Care Professional— Modifier 77	26	Documentation Guidelines for Evaluation and Management Services	41
Use of Modifiers for Various Procedures and Service Locations	16	Unplanned Return to the Operating/ Procedure Room by the Same Physician or Other Qualified Health Care Professional Following Initial Procedure for a Related Procedure During the Postoperative Period— Modifier 78	27	Overview of the Evaluation and Management Section	42
Modifiers Used with Physician Services	16	Unrelated Procedure or Service by the Same Physician or Other Qualified Health Care Professional During the Postoperative Period— Modifier 79	27	Evaluation and Management Coding	43
Use of Multiple Modifiers— Modifier 99	17	Assistant Surgeon—Modifier 80	27	New Patients versus Established Patients	43
Modifiers Used for Hospital Outpatient Services	18			Location of the Service Provided	45
Modifiers Approved for Ambulatory Surgery Center Hospital Outpatient Use	18			Office or Other Outpatient Services (99202–99215)	47
CPT Level I Modifiers	19			Levels of Evaluation and Management Services for Other E/M Services	51
Increased Procedural Services— Modifier 22	19			Hospital Coding	66
Unusual Anesthesia—Modifier 23	19			Hospital Observation Services (99217–99226)	69
Unrelated Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional During Postoperative Period—Modifier 24	19			Consultations	71
Significant, Separately Identifiable Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional on the Same Day of the Procedure or Other Service—Modifier 25	20			Emergency Department Services (99281–99288)	73

Critical Care Services (99291, 99292)	74		
Nursing Facility Services (99304–99318)	77		
Domiciliary, Rest Home, and Custodial Care Services	80		
Home Services (99341–99350)	82		
Preventive Medicine Services (99381–99429)	85		
Non-Face-to-Face Physician Services (99091, 99421–99423, 99441–99458, 99473, 99474)	87		
Special Evaluation and Management Services (99450–99456)	87		
Newborn Care (99460–99463)	87		
Delivery/Birthing Room Attendance and Resuscitation Services (99464, 99465)	88		
Care Management Services (99424–99427, 99437, 99487, 99489, 99490, 99491, 99439)	88		
Transitional Care Management Services (99495, 99496)	89		
Advance Care Planning (99497, 99498)	89		
Other Evaluation and Management Services (99499)	89		
Summary	89		
Internet Links	90		
Chapter Review	90		
Case Studies	92		
 Chapter 4: Anesthesia	 97		
Introduction	98		
Guidelines Related to the National Correct Coding Initiative (NCCI)	98		
Abbreviations Relating to Anesthesia	98		
What Is Anesthesia, and How Is It Administered?	99		
Types of Anesthesia	99		
Coding and Billing Anesthesia Services	100		
Arrangement of the Anesthesia Section	100		
Locating Anesthesia Procedure Codes	100		
Anesthesia Modifiers	101		
Calculating Anesthesia Charges	102		
Basic Value	103		
Time Units	103		
Modifying Units	103		
Special Billing Consideration— Anesthetic Administered by Physician	105		
Moderate or Conscious Sedation	106		
Billing Concerns	106		
Summary	106		
Internet Links	106		
Chapter Review	107		
Coding Assignments	107		
Case Studies	108		
 Chapter 5: Surgery and the Integumentary System	 112		
Introduction	113		
Surgery Guidelines	114		
Services	114		
Surgical Package	114		
Follow-Up Care for Diagnostic and Therapeutic Surgical Procedures	116		
Supplied Materials	116		
Reporting More Than One Procedure/Service	116		
Separate Procedure	116		
Unlisted Service or Procedure and Special Reports	116		
Imaging Guidance	116		
Surgical Destruction	116		
Foreign Body/Implant Definition	116		
The National Correct Coding Initiative (NCCI)	117		
Guidelines Related to the National Correct Coding Initiative (NCCI)	118		
Unbundling	118		
Abbreviations Related to the Integumentary System	119		
Anatomy of the Integumentary System	119		
Procedures Performed on the Integumentary System	121		
General (10004–10021)	121		
Paring or Cutting (11055–11057)	123		
Routine Foot Care	123		
Pilonidal Cyst (11770–11772)	128		
Introduction (11900–11983)	128		
Other Procedures (15780–15879)	138		
Pressure Ulcers (Decubitus Ulcers) (15920–15999)	138		
Burns, Local Treatment (16000–16036)	138		
Destruction (17000–17286)	139		
Other Procedures (17340–17999)	141		
Breast (19000–19499)	141		
Summary	142		
Internet Links	142		
Chapter Review	143		
Coding Assignments	143		
Case Studies	144		
 Chapter 6: Musculoskeletal System	 149		
Introduction	150		
Guidelines Related to the National Correct Coding Initiative (NCCI)	150		
Abbreviations Related to the Musculoskeletal System	150		
Anatomy of the Musculoskeletal System	152		
General Procedures (20100–20999)	153		
Wound Exploration—Trauma (20100–20103)	153		
Excisions (20150–20251)	154		
Introduction or Removal (20500–20705)	155		
Replantation (20802–20838)	156		
Grafts or Implants (20900–20939)	158		
Other Procedures (20950–20999)	159		
Procedures for Musculoskeletal System by Body Site	160		
Incision	161		
Excision	162		
Introduction and Removal	162		
Repair, Revision, and Reconstruction	163		
Fracture/Dislocation	166		
Arthrodesis	169		
Application of Casts and Strapping (29000–29799)	169		
Cast Removals or Repairs (29700–29750)	170		
Endoscopy/Arthroscopy (29800–29999)	171		
Summary	172		
Internet Links	173		
Chapter Review	173		
Coding Assignments	173		
Case Studies	174		
 Chapter 7: Respiratory System	 179		
Introduction	180		
Guidelines Related to the National Correct Coding Initiative (NCCI)	180		
Abbreviations Related to the Respiratory System	180		
Anatomy of the Respiratory System	181		
Procedures Completed on the Nose (30000–30999)	183		
Incision (30000, 30020)	183		
Excisions (30100–30160)	183		
Introduction (30200–30220)	184		
Removal of Foreign Body (30300–30320)	184		
Repair (30400–30630)	185		
Destruction and Other Procedures (30801–30999)	186		
Procedures Completed on the Accessory Sinuses (31000–31299)	187		
Incisions (31000–31090)	188		
Excisions (31200–31230)	189		
Endoscopy (31231–31298)	189		
Procedures Completed on the Larynx (31300–31599)	190		
Excision and Introduction (31300–31502)	190		
Endoscopy of the Larynx (31505–31579)	191		
Repair and Other Procedures Completed on the Larynx (31580–31599)	192		

Procedures Completed on the Trachea and Bronchi (31600–31899)192

- Incision (31600–31614)193
- Endoscopy of Trachea and Bronchi (31615–31654)193
- Bronchial Thermoplasty (31660–31661)194
- Introduction, Excision Repair, and Other Procedures Completed on the Trachea and Bronchi (31717–31899)194

Procedures Completed on the Lungs and Pleura (32035–32999)195

- Incision (32035–32225)195
- Excision/Resection, Removal, Introduction and Removal, and Destruction (32310–32562)196
- Thoracoscopy (Video-Assisted Thoracic Surgery [VATS]) (32601–32674)197
- Stereotactic Radiation Therapy (32701)197
- Repair (32800–32820)198
- Lung Transplantation (32850–32856)198
- Surgical Collapse Therapy, Thoracoplasty, and Other Procedures (32900–32999)198

Summary199

Internet Links200

Chapter Review200

Coding Assignments201

Case Studies202

Chapter 8: Cardiovascular System206

Introduction207

Guidelines Related to the National Correct Coding Initiative (NCCI)207

Abbreviations Relating to the Cardiovascular System207

Anatomy of the Cardiovascular System208

Coding Cardiovascular Procedures210

- Pericardium, Cardiac Tumor, and Transmyocardial Revascularization (33016–33141)210
- Pacemaker or Pacing Cardioverter-Defibrillator (33202–33275)211
- Electrophysiologic Operative Procedures, Subcutaneous Cardiac Rhythm Monitor, Implantable Hemodynamic Monitors, and Wounds of the Heart (Including Valves) and Great Vessels (33250–33340)214
- Cardiac Valve Procedures (33361–33496)215
- Coronary Artery Anomalies and Endoscopy (33500–33509)216

Coronary Artery Bypass Grafts Procedures217

- Venous Grafting Only for Coronary Artery Bypass (33510–33516)217
- Combined Arterial-Venous Grafting for Coronary Bypass (33517–33530)218
- Arterial Grafting and Code for Coronary Artery Bypass (33533–33548)218
- Anomaly Repair and Other Procedures (33600–33926)218
- Heart/Lung Transplantation (33927–33945)219
- Extracorporeal Membrane Oxygenation or Extracorporeal Life Support Services (33946–33989)221
- Cardiac Assist (33967–33997) and Other Procedures (33999)221

Arteries and Veins222

- Embolectomy/Thrombectomy (34001–34490)222
- Venous Reconstruction (34501–34530)223
- Endovascular Repair of Abdominal Aortic and/or Iliac Arteries (34701–34834) and Fenestrated Endovascular Repair of the Visceral and Inferior Aorta (34839–34848)224
- Direct Repair of Aneurysm or Excision (Partial or Total) and Graft Insertion for Aneurysm, Pseudoaneurysm, Ruptured Aneurysm, and Associated Occlusive Disease (35001–35152)227
- Repair of Arteriovenous Fistula (35180–35190)227
- Repair of a Blood Vessel for Reasons Other Than Fistula (35201–35286)227
- Thromboendarterectomy (35301–35390)227
- Angioscopy (35400)227
- Bypass Graft—Vein (35500–35572) and In-Situ Vein (35583–35587)228
- Bypass Graft—Other Than Vein (35600–35671)228
- Composite Grafts, Adjuvant Techniques, and Arterial Transposition (35681–35697)228
- Excision, Exploration, Repair, and Revision (35700–35907)228

Vascular Injection Procedures (36000–36598)229

Arterial and Arteriovenous Procedures (36600–37799)229

- Arterial and Intraosseous Codes (36600–36680)229
- Hemodialysis Access, Intervascular Cannulation for Extracorporeal Circulation or Shunt Insertion (36800–36861)230
- Dialysis Circuit (36901–36909)230
- Portal Decompression Procedures (37140–37183)230
- Transcatheter Procedures (37184–37218)230

- Endovascular Revascularization (Open or Percutaneous, Transcatheter) (37220–37239)231
- Vascular Embolization and Occlusion (37241–37244) and Intravascular Ultrasound Services (37252–37253)231
- Endoscopy (37500–37501)231
- Ligation and Other Procedures (37565–37799)232

Summary232

Internet Links232

Chapter Review232

Coding Assignments233

Case Studies234

Chapter 9: Hemic and Lymphatic Systems238

Introduction239

Guidelines Related to the National Correct Coding Initiative (NCCI)239

Structures of the Hemic and Lymphatic Systems239

Procedures Completed on the Spleen (38100–38200)239

- Excisions (38100–38102)239
- Repair (38115)240
- Laparoscopy of the Spleen (38120 and 38129)241
- Introduction (38200)241

General Procedures (38204–38232) and Transplantation and Post-Transplantation Cellular Infusions (38240–38243)241

Procedures Performed on the Lymph Nodes and Lymphatic Channels (38300–38999)242

- Incision (38300–38382)243
- Excisions (38500–38555)243
- Limited Lymphadenectomy for Staging (38562, 38564)244
- Laparoscopy (38570–38589)244
- Radical Lymphadenectomy (Radical Resection of Lymph Nodes) (38700–38780)244
- Introduction and Other Procedures (38790–38999)245

Summary246

Internet Links246

Chapter Review246

Coding Assignments247

Case Studies247

Chapter 10: Mediastinum and Diaphragm250

Introduction250

Guidelines Related to the National Correct Coding Initiative (NCCI)251

Procedures Completed in the Mediastinum (39000–39499)251

Procedures Completed on the Diaphragm (39501–39599)252

Summary	253	Biliary Tract (47400–47999) . . .	280	Coding Assignments	308
Internet Links	253	Pancreas (48000–48999)	282	Case Studies	309
Chapter Review	253	Abdomen, Peritoneum, and			
Coding Assignments	254	Omentum (49000–49999)	283		
Case Studies	254	Repair—Hernioplasty, Herniorrhaphy,			
		Herniotomy, Suture, and Other			
		Procedures (49491–49999)	283		
Chapter 11: Digestive System	256	Summary	284	Chapter 13: Male Genital	
Introduction	257	Internet Links	284	System	314
Guidelines Related to the National		Chapter Review	284	Introduction	315
Correct Coding Initiative		Coding Assignments	285	Guidelines Related to the National	
(NCCI)	258	Case Studies	286	Correct Coding Initiative	
Abbreviations Related to the				(NCCI)	315
Digestive System	259			Abbreviations Related to the	
Procedures Completed on the Lips,				Male Genital System	315
Mouth, Tongue, Teeth, Palate,				Procedures Completed on the	
Uvula, and Salivary Glands and				Penis (54000–54450)	316
Ducts (40490–42699)	259			Procedures Completed on the	
Lips (40490–40799)	259			Testis (54500–54699)	317
Vestibule of the Mouth				Procedures Completed on the	
(40800–40899)	261			Epididymis and Tunica Vaginalis	
Tongue and Floor of Mouth				(54700–55060)	317
(41000–41599)	261			Procedures Completed on the	
Dentoalveolar Structures				Scrotum, Vas Deferens, Spermatic	
(41800–41899)	262			Cord, and Seminal Vesicles	
Palate and Uvula (42000–42299)	263			(55100–55680)	318
Salivary Glands and Ducts				Scrotum (55100–55180)	319
(42300–42699)	263			Vas Deferens (55200–55400)	319
Procedures Completed on the				Spermatic Cord and Seminal	
Pharynx, Adenoids, and Tonsils				Vesicles (55500–55680)	319
(42700–42999)	264			Procedures Completed on the	
Procedures Completed on the				Prostate (55700–55899)	319
Esophagus (43020–43499)	265			Reproductive System Procedures	
Endoscopy Procedures				(55920) and Intersex Surgery	
(43180–43278)	266			(55970–55980)	320
Repairs (43300–43425)	268			Summary	320
Manipulation Codes and Other				Internet Links	320
Procedures (43450–43499)	268			Chapter Review	321
Stomach (43500–43999)	269			Coding Assignments	321
Incision (43500–43520)	269			Case Studies	322
Excision (43605–43641)	270				
Laparoscopy (43644–43659)	271				
Introduction (43752–43763)	271				
Bariatric Surgery (43770–43775)	271				
Other Procedures Completed					
on the Stomach					
(43800–43999)	271				
Intestines, Except Rectum					
(44005–44799)	272				
Incision (44005–44055)	274				
Excision (44100–44160)	274				
Laparoscopy (44180–44238)	274				
Enterostomy—External Fistulization					
of Intestines (44300–44346)	276				
Endoscopy, Small Intestine, and					
Stomal (44360–44408)	276				
Codes 44500 to 44799	276				
Meckel's Diverticulum and the					
Mesentery (44800–44899)	277				
Appendix (44900–44979)	277				
Colon and Rectum					
(45000–45999)	277				
Anus (46020–46999)	278				
Liver (47000–47399)	280				
		Chapter 12: Urinary System	292		
		Introduction	293		
		Guidelines Related to the National			
		Correct Coding Initiative			
		(NCCI)	293		
		Abbreviations Related to the			
		Urinary System	293		
		Anatomy of the Urinary			
		System	294		
		Procedures Completed on the			
		Kidneys (50010–50593)	296		
		Incision (50010–50135)	296		
		Excision (50200–50290)	296		
		Renal Transplantation			
		(50300–50380)	298		
		Introduction (50382–50396 and			
		50430–50437)	299		
		Repair (50400–50540)	299		
		Laparoscopy (50541–50549)	299		
		Endoscopy (50551–50580)	300		
		Other Procedures			
		(50590–50593)	300		
		Procedures Completed on the			
		Ureter (50600–50980)	301		
		Incision, Excision, and Introduction			
		(50600–50695)	301		
		Repair (50700–50940)	302		
		Laparoscopy and Endoscopy			
		Procedures (50945–50980)	302		
		Procedures Completed on the			
		Bladder (51020–52700)	302		
		Incision, Removal, Excision, and			
		Introduction (51020–51720)	303		
		Urodynamics (51725–51798)	304		
		Repair (51800–51980)	304		
		Laparoscopy and Endoscopy			
		(51990–52010)	305		
		Transurethral Surgery			
		(52204–52356)	306		
		Vesical Neck and Prostate			
		(52400–52700)	306		
		Procedures Completed on the			
		Urethra (53000–53899)	307		
		Incision, Excision, and Repair			
		(53000–53520)	307		
		Manipulation and Other Procedures			
		(53600–53899)	307		
		Summary	307		
		Internet Links	308		
		Chapter Review	308		
				Chapter 14: Female Genital	
				System	327
				Introduction	328
				Guidelines Related to the National	
				Correct Coding Initiative	
				(NCCI)	328
				Abbreviations Associated with	
				the Female Genital System	329
				Vulva, Perineum, and Introitus	
				(56405–56821)	329
				Procedures Completed on the	
				Vagina (57000–57426)	332
				Procedures Completed on the	
				Cervix Uteri (57452–57800)	334
				Procedures Completed on the	
				Corpus Uteri (58100–58540)	335
				Laparoscopy and Hysteroscopy	
				(58541–58579 and 58674)	336
				Procedures Completed on	
				the Oviduct and Ovary	
				(58600–58960)	336
				In Vitro Fertilization (58970–58976)	
				and Other Procedures (58999) . . .	338
				Summary	338
				Internet Links	338

Chapter Review	339	Spine and Spinal Cord (62263–63746)	377	Osseointegrated Implants (69714–69719, 69726, 69727)	407
Coding Assignments	339	Extracranial Nerves, Peripheral Nerves, and Autonomic Nervous System (64400–64999)	379	Other Procedures (69700–69799)	407
Case Studies	340	Summary	379	Procedures Completed on the Inner Ear and the Temporal Bone, Middle Fossa Approach (69801–69979)	408
Chapter 15: Maternity Care and Delivery	344	Internet Links	380	Operating Microscope	408
Introduction	345	Chapter Review	380	Summary	409
Guidelines Related to the National Correct Coding Initiative (NCCI)	345	Coding Assignments	380	Internet Links	409
Abbreviations Associated with Maternity Care and Delivery	345	Case Studies	381	Chapter Review	409
Antepartum and Fetal Invasive Services (59000–59350)	346	Chapter 18: Eye and Ocular Adnexa	385	Coding Assignments	409
Vaginal Delivery, Antepartum and Postpartum Care (59400–59430), and Cesarean Delivery (59510–59525)	349	Introduction	386	Case Studies	410
Delivery after Previous Cesarean Delivery (59610–59622)	350	Guidelines Related to the National Correct Coding Initiative (NCCI)	386	Chapter 20: Radiology	413
Abortion and Other Procedures (59812–59899)	351	Abbreviations Relating to the Eye and Ocular Adnexa	386	Introduction	414
Summary	351	Anatomy of the Eye	387	Guidelines Related to the National Correct Coding Initiative (NCCI)	414
Internet Links	352	Procedures Completed on the Eyeball (65091–65290)	388	Terminology Associated with Radiology	414
Chapter Review	352	Procedures Completed on the Anterior Segment (65400–66999)	390	Abbreviations Associated with Radiology	417
Coding Assignments	352	Procedures Completed on the Posterior Segment (67005–67299)	392	Coding for Radiology	417
Case Studies	353	Procedures Completed on the Ocular Adnexa (67311–67999)	394	Diagnostic Radiology (70010–76499)	417
Chapter 16: Endocrine System	357	Procedures Completed on the Conjunctiva (68020–68899)	395	Vascular Procedures (75600–75893)	418
Introduction	357	Summary	395	Transcatheter Procedures (75894–75989)	420
Guidelines Related to the National Correct Coding Initiative (NCCI)	359	Internet Links	396	Other Procedures (76000–76499)	420
Abbreviations Associated with the Endocrine System	360	Chapter Review	396	Diagnostic Ultrasound (76506–76999)	421
Thyroid Gland (60000–60300)	360	Coding Assignments	397	Radiologic Guidance (77001–77022)	422
Parathyroid, Thymus, Adrenal Glands, Pancreas, and Carotid Body (60500–60605)	361	Case Studies	398	Breast Mammography (77046–77067)	422
Laparoscopy and Other Procedures (60650–60699)	362	Chapter 19: Auditory System and Operating Microscope	401	Bone/Joint Studies (77071–77092)	423
Summary	362	Introduction	402	Radiation Oncology (77261–77799)	423
Internet Links	362	Guidelines Related to the National Correct Coding Initiative (NCCI)	402	Nuclear Medicine (78012–79999)	426
Chapter Review	362	Abbreviations Associated with the Auditory System	402	Summary	427
Coding Assignments	363	Anatomy of the Auditory System	403	Internet Links	427
Case Studies	363	Procedures Completed on the External Ear (69000–69399)	404	Chapter Review	427
Chapter 17: Nervous System	367	Incision (69000–69090)	405	Coding Assignments	428
Introduction	368	Excision (69100–69155)	405	Case Studies	429
Guidelines Related to the National Correct Coding Initiative (NCCI)	368	Removal of Foreign Body (69200–69222)	405	Chapter 21: Pathology and Laboratory	434
Abbreviations Associated with the Nervous System	368	Repairs and Other Procedures (69300–69399)	405	Introduction	434
Anatomy of the Nervous System	368	Procedures Completed on the Middle Ear (69420–69799)	406	Guidelines Related to the National Correct Coding Initiative (NCCI)	435
Procedures Completed on the Nervous System (61000–64999)	373	Incision (69420–69450)	406	Coding for Pathology and Laboratory Services	436
Skull, Meninges, and Brain (61000–62258)	373	Excision (69501–69554)	406	Abbreviations Associated with Laboratory Coding	436
		Repair (69601–69676)	406	Sections	436
				Organ or Disease-Oriented Panel (80047–80081)	437

Drug Procedures	438		
Drug Assay (80305–80377 and 83992)	438		
Therapeutic Drug Assays (80143–80299)	438		
Evocative/Suppression Testing (80400–80439)	438		
Pathology Clinical Consultations (80503–80506)	439		
Urinalysis (81000–81099)	439		
Molecular Pathology (81105–81408 and 81479)	439		
Genomic Sequencing Procedures and Other Molecular Multianalyte Assays (81410–81471)	439		
Multianalyte Assays with Algorithmic Analyses (81490–81599)	439		
Chemistry (82009–84999)	440		
Hematology and Coagulation (85002–85999)	440		
Immunology (86000–86849)	440		
Transfusion Medicine (86850–86999)	440		
Microbiology (87003–87999)	440		
Anatomic Pathology (88000–88099)	440		
Cytopathology (88104–88199)	440		
Cytogenetic Studies (88230–88299)	440		
Surgical Pathology (88300–88399)	441		
In Vivo (e.g., Transcutaneous) Laboratory Procedures (88720–88749)	441		
Other Procedures and Reproductive Medicine Procedures (89049–89398)	441		
Proprietary Laboratory Analyses (0001U–0284U)	441		
Summary	441		
Internet Links	441		
Chapter Review	441		
Coding Assignments	442		
 Chapter 22: Medicine	 443		
Introduction	444		
Guidelines Related to the National Correct Coding Initiative (NCCI)	445		
Immune Globulins (90281–90399)	445		
Immunization Administration for Vaccines and Toxoids (90460–90474) and (0001A–0042A)	445		
Vaccines and Toxoids (90476–90756) and (91300–91304)	446		
Psychiatry (90785–90899)	447		
Biofeedback (90901–90913)	449		
Dialysis (90935–90999)	449		
Hemodialysis (90935–90940)	449		
Miscellaneous Dialysis Procedures (90945–90947) and Other Dialysis Procedures (90989–90999)	450		
End-Stage Renal Disease Services (90951–90970)	450		
Gastroenterology (91010–91299)	451		
Ophthalmology (92002–92499)	451		
Other Specialized Services	452		
Special Otorhinolaryngologic Services (92502–92700)	452		
Cardiovascular (92920–93799)	452		
Noninvasive Vascular Diagnostic Studies (93880–93998)	453		
Pulmonary (94002–94799)	454		
Allergy and Clinical Immunology (95004–95199)	454		
Endocrinology (95249–95251)	454		
Neurology and Neuromuscular Procedures (95700–96020)	454		
Medical Genetics and Genetic Counseling Services (96040) and Adaptive Behavior Services (97151–97158)	455		
Central Nervous System Assessments and Tests (96105–96146), and Health Behavior Assessment and Intervention (96156–96171)	455		
Hydration, Therapeutic, Prophylactic, Diagnostic Injections and Infusions, and Chemotherapy and Other Highly Complex Drug or Highly Complex Biologic Agent Administration (96360–96549)	456		
Photodynamic Therapy (96567–96574)	457		
Special Dermatological Procedures (96900–96999)	457		
Physical Medicine and Rehabilitation (97010–97799)	457		
Additional Procedures (97802–99607)	458		
Summary	458		
Internet Links	458		
Chapter Review	458		
Coding Assignments	459		
Case Studies	460		
 Chapter 23: HCPCS Codes	 461		
Introduction	461		
Certificate of Medical Necessity for DME Items and Advance Beneficiary Notice	462		
Organization and Use of HCPCS Level II Codes	463		
		HCPCS Sections	465
		A Codes—Transportation Services Including Ambulance, Medical and Surgical Supplies	465
		B Codes—Enteral and Parental Therapy	466
		C Codes—HCPCS Outpatient PPS	466
		D Codes—Dental Procedures	467
		E Codes—Durable Medical Equipment	467
		G Codes—Temporary Procedures/Professional Services	467
		H Codes—Behavioral Health and/or Substance Abuse Treatment Services	468
		J Codes—Drugs Administered Other Than Oral Method	468
		K Codes—Temporary Codes Assigned to DME Regional Carriers	468
		L Codes—Orthotic and Prosthetic Procedures and Devices	468
		M Codes—Medical Services and Quality Measures	469
		P Codes—Pathology and Laboratory Services	469
		Q Codes—Temporary Codes	469
		R Codes—Diagnostic Radiology Services	469
		S Codes—Temporary National Codes	469
		T Codes—Temporary National Codes Established for State Medicaid Agencies	470
		U Codes—Other	470
		V Codes—Vision Services and Hearing Services	470
		Appendices	470
		Summary	471
		Internet Links	472
		Chapter Review	472
		Coding Assignments	472
		Case Studies	473
		Appendix I: Billing Forms (CMS-1500 and UB-04)	475
		Appendix II: Surgical Positions	477
		Appendix III: Abdominopelvic Divisions	478
		Appendix IV: 2021 Anesthesia Code Base Units	479
		Appendix V: Locality-Adjusted Anesthesia Conversion Factors as a Result of the CY 2021 Final Rule	482
		Appendix VI: Case Studies	486
		Glossary	504
		Index	518

Understanding Current Procedural Terminology and HCPCS Coding Systems represents a comprehensive approach to learning and mastering procedural coding. This book provides detailed instruction for CPT coding as well as additional resource information that is essential for coders. This book can be used in an academic setting and also as a reference in a working environment. Space has been provided in the text for the learner to work on exercises to promote a hands-on approach to coding.

This book approaches procedural coding in a fresh and innovative manner. Many clinical examples are used throughout the text to provide the student with real-life coding examples and practice. The book also provides a review of human anatomy that is relevant to selecting procedural codes. Learning is reinforced by the use of illustrations of anatomy and operative procedures.

New to the 2022 Edition

- The textbook, MindTap, and Instructor's Manual have been updated to include the most current code sets available at the time of publication.
- New feedback for Coding Assignment answers in MindTap
- Additional information has been added about COVID-19 vaccine product and administration codes.

Organization of the Text

Understanding Current Procedural Terminology and HCPCS Coding Systems has 23 chapters, which present an introduction to CPT coding and detail on all of the main sections of CPT. Each chapter contains Internet links, a summary, and a chapter review to facilitate learning. Case studies are used throughout the text to enrich the learning process.

Special Features of the Text

Several features are incorporated into the chapters to facilitate learning:

- **Chapter outlines** located at the beginning of each chapter help organize the material.
- **Learning objectives** establish goals for each chapter and can be used as a checklist for reviewing concepts.
- **Key terms** are identified at the beginning of the chapter, are boldfaced throughout the chapter, and appear in the glossary to assist readers in learning the technical vocabulary associated with coding.
- **Exercises** challenge the learner's knowledge and reinforce understanding of presented materials.
- **Examples** illustrate key concepts to promote understanding.
- **Illustrations** of human anatomy and procedures appear throughout the book. These help the student visualize operative procedures and are a valuable resource for coders.
- **Internet links** encourage users to expand their knowledge and stay current with the most up-to-the-minute information.
- **Coding assignments** require learners to assign codes using coding manuals.
- **Case studies** encourage readers to apply concepts taught within the text to actual clinical scenarios.

Instructor and Student Resources

Additional instructor and student resources for this product are available online. Instructor assets include an Instructor's Manual, Solution and Answer Guide, MindTap Educator's Guide, Transition Guide, PowerPoint® slides, and a test bank powered by Cognero. To provide maximum pedagogical value, the 2022 edition PowerPoints have been updated to include additional interactive activities. Student assets include additional Peer Coding Audit Activities. Sign up or sign in at www.cengage.com to search for and access this product and its online resources.

MindTap

MindTap is a fully online, interactive learning experience built upon authoritative Cengage content. By combining readings, multimedia activities, and assessments into a singular learning path, MindTap elevates learning by providing real-world application to better engage students. Instructors customize the learning path by selecting Cengage resources and adding their own content via apps that integrate into the MindTap framework seamlessly with many learning management systems.

The MindTap includes:

- Auto-graded Exercises, Chapter Review, Coding Assignments, and Case Studies from the textbook
- Video Quizzes that walk students step-by-step through coding patient cases
- Chapter Quizzes
- Medical Coding Trainer which presents learners with realistic, multi-page patient records to code

The 2022 edition has been updated to include automated feedback explaining the correct answers for Coding Assignments, in addition to feedback already provided for Exercises, Chapter Reviews, Case Studies, and Video Quizzes.

To learn more, visit www.cengage.com/training/mindtap.

Optum360® EncoderPro.com

Enhance your course with Cengage learning materials and online coding tools from Optum360®. *EncoderPro.com Expert* is an online coding and reference tool designed to enhance your coding capabilities.

- Using online coding tools can help by: saving you time and money;
- increasing accuracy, reducing denials, and ensuring you receive complete reimbursement; and
- reducing required storage space and paper.

Features of EncoderPro.com Expert include:

- ICD-10-CM code content search
- ICD-10 mapping tools
- Coders' Desk Reference
- Complete code history
- Local Coverage Determinations (LCDs) and Medicare Pub. 100 access
- Medicare CCI edits
- Modifier crosswalk
- Enhanced compliance editor
- Enhanced LCD/NCD policy searching
- Cross-coder relationships from seven coding and billing specialty reference books

To make the switch and start saving on coding materials with Cengage and Optum360®, contact your Cengage Learning Consultant today at cengage.com/repfinder.

About the Author

Mary Jo Bowie, MS, BS, AAS, RHIA

Consultant and Owner, Health Information Professional Services, Binghamton, New York. Active member, American Health Information Management Association (AHIMA). Mary Jo has over 40 years experience in the health information and coding profession. Professionally she has served the New York State Health Information Management Association as Education Director and was a member of the Board of Directors, 1989–1991; Ambulatory Care Coding Guidelines (ACGC) Committee, 1995–2001; and was Chairperson of the ACGC Committee, 1993–1995. She was the New York State Nominee for the American Health Information Management Association National Award for Literary Contribution to Profession, 1993 and 1994. Mary Jo has completed numerous national professional seminars on ICD-9-CM, ICD-10-CM, and CPT coding. She was the lead trainer for Cengage Learning's ICD-10-CM Peer-to-Peer Training. She is an AHIMA-approved trainer for ICD-10-CM/PCS.

Dedication

To my husband Bill, who is always by my side no matter what we face together, you are my motivation for all I do. To my daughter Sarah, and daughter Bethannie, son-in-law Jesse, and grandchildren Isabella, Jesse, Adelyn, and Deklyn. My love is always with you. To my parents, who are always there to support everything I do.

In memory of Ted Bowie, who taught us all to fight until we hear the referee blow the whistle.

A special thanks to Kaitlin Schlicht, Stephen Smith, and Mark Peplowski, who keep me on track and make authoring a joy. To my extended Cengage family, thanks for all the work you do in marketing and promoting my books. A very special thanks to Lou Ann Decker for her time and work that she put into reviewing these pages and attaching the hot pink notes!

—Mary Jo Bowie

Acknowledgments

A special thank you is extended to the reviewers who have provided recommendations to enhance the content of this work.

Misty Green, CPC

Department Head, Medical Billing & Coding Program
Community Care College
Tulsa, OK

NaTunya Davis Johnson, Ed.S.

Professor and District Department Chair
Holmes Community College
Ridgeland, MS

Marilyn A. Martin, DBA, MBA, CPC

Chair, Medical Office Administration and Office Administration
Central Piedmont Community College
Charlotte, NC

Michelle Ruggiero, MsED, CPC, CCS-P

Instructor
Bryant & Stratton College
Buffalo, NY

Tracy Smith, MBA

Department Chair
Hinds Community College
Pearl, MS

Technical Reviewer

Both Mary Jo and the Cengage team offer their profound thanks to Lou Ann Decker for her significant technical review efforts. Your efforts were invaluable on this revision. Many thanks for all that you do!

Lou Ann Decker, AAS, RHIT

HOW TO USE THE TEXTBOOK

Chapter Outline

At the beginning of each chapter, you will find an outline of all major headings. Review these headings of topic areas before you study the chapter. They are a road map.

Learning Objectives

Learning Objectives provide a framework for study of the chapter content.

Key Terms

Key Terms represent new vocabulary that is highlighted within the chapter at first usage. Use the end-of-book Glossary to study definitions of all key terms.

Chapter Outline

Introduction
History of Current Procedural Terminology
The Structure and Design of CPT
CPT as Part of HCPCS
Summary

Internet Links
Chapter Review
Coding Assignments
Short Answer

Learning Objectives

At the conclusion of this chapter, you should be able to:

1. Explain the purpose of Current Procedural Terminology (CPT).
2. Identify key parties and dates in the development and revision of CPT.
3. Summarize the format and contents of the sections of the CPT code manual.
4. Interpret the symbols and punctuation used in CPT.
5. Locate a CPT code in the CPT code manual.
6. Differentiate between Level I and Level II codes in HCPCS.

Key Terms

add-on code symbol (+)
bullet symbol (●)
category I proprietary laboratory analyses (PLA) tests symbol (↑↓)
Category II
Category III

Current Procedural Terminology (CPT)
flash symbol (✴)
forbidden symbol (⊘)
guidelines
Healthcare Common Procedure Coding System (HCPCS)

hollow circle symbol (○)
horizontal triangles symbol (▶◀)
Level I codes
Level II codes
National Codes
number symbol (#)

prohibitory symbol (⊘)
proprietary laboratory analyses (PLA) tests symbol (↑↓)
star symbol (★)
triangle symbol (▲)

Exercises

Sprinkled throughout the chapters, Exercises encourage readers to stop periodically and apply critical thinking skills to solve coding challenges.

Exercise 2.1—Check Your Understanding

1. _____
2. _____
3. _____
4. _____
5. _____

Coding Assignments

For each code listed, note the main section of the CPT manual in which you would find the code. The first one is done for you.

1. 00142	Anesthesia	11. 64400	_____
2. 23076	_____	12. 77003	_____
3. 88348	_____	13. 30520	_____

Coding Assignments

Coding Assignments invite you to use CPT and HCPCS coding manuals to identify proper procedural codes.

Internet Links

For more information about CMS and the HCPCS coding system, visit <http://www.cms.gov>.

Chapter Review

True/False

Instructions: Indicate whether the following statements are true (T) or false (F).

- _____ CPT codes tell the insurance carrier what brought the patient to the physician's office.
- _____ Text, symbols, and the history of CPT are found in the introduction of the code book.
- _____ The CPT code book is updated annually on July 1.
- _____ The Surgery section of codes begins with code 10001 and goes through code 69999.
- _____ ▲ is the symbol for a revised code.

Fill in the Blank

Instructions: Fill in the blanks in the statements that follow.

- The CPT coding system was first published in 1966 by _____.
- A complete and detailed description of all modifiers used in CPT is found in _____.
- The CPT manual contains _____ main sections.
- The _____ separates the common portion of the code description from additional portions of the code.
- The _____ is organized by main terms.

Internet Links

Internet Links encourage you to expand your knowledge base with the most up-to-date information available on the Web.

Chapter Review

Chapter Review sections appear in every chapter, and test your understanding of the material through questions in varying formats.

Case Studies

Instructions: Review each case and indicate the correct code(s).

Case 1

Preoperative diagnosis: Carcinoma of the mediastinum

Postoperative diagnosis: Tumor of mediastinum, carcinoma

Reason for procedure: Two weeks ago, the patient had a biopsy of a mass found in the mediastinum. Pathology confirmed that the mass was a carcinoma of the mediastinum.

Case Studies

Case Studies challenge you to carefully select codes appropriate to the scenarios described.

Introduction to Current Procedural Terminology

CHAPTER

1

Chapter Outline

Introduction

History of Current Procedural Terminology

The Structure and Design of CPT

CPT as Part of HCPCS

Summary

Internet Links

Chapter Review

Coding Assignments

Short Answer

Learning Objectives

At the conclusion of this chapter, you should be able to:

1. Explain the purpose of Current Procedural Terminology (CPT).
2. Identify key parties and dates in the development and revision of CPT.
3. Summarize the format and contents of the sections of the CPT code manual.
4. Interpret the symbols and punctuation used in CPT.
5. Locate a CPT code in the CPT code manual.
6. Differentiate between Level I and Level II codes in HCPCS.

Key Terms

add-on code symbol (+)

bullet symbol (●)

category I proprietary laboratory analyses (PLA) tests symbol (↕)

Category II

Category III

Current Procedural Terminology (CPT)

flash symbol (↗)

forbidden symbol (⊘)

guidelines

Healthcare Common Procedure Coding System (HCPCS)

hollow circle symbol (○)

horizontal triangles symbol (▶◀)

Level I codes

Level II codes

National Codes

number symbol (#)

prohibitory symbol (⊘)

proprietary laboratory analyses (PLA) tests symbol (↕)

star symbol (★)

triangle symbol (▲)

Introduction

The coding system known as **CPT**, or **Current Procedural Terminology**, was developed by the American Medical Association (AMA). The AMA annually updates the code sets within CPT, and the new codes become effective on January 1 of each year. These five-digit codes are part of the language used by physicians and

insurance companies to convey the services provided to a patient during an encounter. Just as the ICD-10-CM diagnostic codes explain what brought the patient to the provider for the encounter, CPT tells the insurance carrier what service or services were provided to the patient during that encounter.

The biggest hurdle that a coder might have with CPT coding is translating the physician's terminology or documentation into a billable service. Physicians communicate in medical terminology, whereas insurance carriers communicate in reimbursement language. For this reason, a working knowledge of CPT coding is necessary for the correct coding of procedures and services. Insurance carriers require that CPT codes be submitted on claims to determine the appropriate payment for the services rendered.

This chapter will provide an overview of the CPT manual as well as the terms and symbols used to guide coders to the proper selection of CPT codes. The CPT manual is officially titled Current Procedural Terminology Codebook. However it is commonly known as the CPT manual or the CPT code book.

History of Current Procedural Terminology

The CPT coding system was first published in 1966 by the AMA. The system provided uniform reporting of physician services performed in the outpatient setting. The first CPT manual was pocket sized and contained only 163 pages. It contained four-digit codes, along with brief descriptions.

The CPT manual has grown in size and descriptions since 1966. The CPT manual now contains six main sections, which are divided into subsections, and then further divided into subcategories and headings. It now contains thousands of codes, which continue to be revised and updated annually.

The Structure and Design of CPT

The CPT update notifications are released in early fall to allow time for providers to become educated and update their systems to be in compliance with the January 1 code changes. Coding changes that are announced include additions, deletions, and code revisions from the previous year. Coders need to review the annual updates in CPT so that they have an understanding of the most current codes; therefore, submitted claims will not be rejected because of invalid or outdated codes.

The CPT manual consists of an introduction, the main body of the book, the appendices, and the index. To locate a procedure completed during an encounter, the coder may need to look for the service in several different ways. Becoming familiar with the layout and format of the book will help the coder to better locate a code.

In order to become familiar with the contents of the CPT manual, you should use your CPT manual and locate the following (the table of contents for CPT is found at the front of the manual):

- Introduction
- Evaluation and Management Services Guidelines
- Evaluation and Management
- Anesthesia Guidelines
- Anesthesia
- Surgery Guidelines
- Surgery
- Radiology Guidelines (Including Nuclear Medicine and Diagnostic Ultrasound)
- Radiology
- Pathology and Laboratory Guidelines
- Pathology and Laboratory
- Medicine Guidelines
- Medicine

- Category II Codes
- Category III Codes
- Appendices
- Index

The Introduction

The introduction to the CPT manual contains valuable information that will help you navigate through the manual. Text, symbols, history, and how to use the book are all explained within the introduction section of the manual.

Also found in the introduction is a breakdown of the section numbers and their sequence, instructions for using the CPT manual and for formatting, and an explanation of guidelines, add-on codes, and modifiers. To become familiar with the information found within the introduction, read the introduction contained within the CPT manual.

Symbols

Various symbols are used to alert the coder to unique features of the CPT manual. Symbols that are included in the CPT manual are discussed below. The symbols are located in front of the code numbers within the various sections to denote that the symbol applies to a specific code.

Triangle Symbol ▲

The **triangle symbol** is used to denote that a code has been revised from the previous edition of CPT with a substantial change in the CPT description of the procedure or service. Appendix B contains a summary of codes that have been revised, as well as additional and deleted codes. When a code is revised, the triangle symbol will appear before the code number in the main body of the CPT manual. In Appendix B, the triangle symbol will appear before the code number, and the deleted language in the code description will be noted with a strikethrough. The newly added information will be underlined.

In the 2022 edition of CPT, for example, code number 21315 was revised.

EXAMPLE: In 2021, the code descriptor stated:

21315 Closed treatment of nasal bone fracture; without stabilization

In 2022, the code descriptor was revised as follows:

21315 Closed treatment of nasal bone fracture with manipulation; without stabilization

Reference code 21315 in the CPT manual and in Appendix B to note how this symbol is used.

Bullet Symbol ●

The **bullet symbol** is used to denote a new code that has been added since the previous edition of CPT. In the body of the CPT manual, the bullet symbol will appear before the code number. A summary of these newly added codes appears in Appendix B of the CPT manual. In Appendix B, the bullet symbol appears next to the new code number with the phrase “Code added.” The full description of the new code does not appear in Appendix B.

In the 2022 edition of CPT, the following appeared as a new code:

EXAMPLE:

33509 Harvest of upper extremity artery, 1 segment, for coronary artery bypass procedure, endoscopic.

Review this code addition in both Appendix B and in the CPT manual Surgery code section and note how the bullet symbol is used.

Horizontal Triangles Symbol ▶◀

The **horizontal triangles symbol** is used to indicate new or revised text in the CPT manual. When the horizontal triangle symbol appears, the coder must note the information that has been added or revised from the previous edition of the CPT manual.

EXAMPLE: In the 2022 edition of CPT, revised text appears after code 33509. Reference this section in the CPT manual to review the revised information, and note the location of the horizontal triangles that appear around the phrase that states “(For open harvest of upper extremity artery, use 35600).”

Add-on Code Symbol +

The **add-on code symbol** is used within CPT to list procedures that are completed in addition to the primary procedure or service performed. Appendix D in the CPT manual lists these codes, and they are denoted in the body of the CPT manual when the add-on code symbol appears before the code number. Add-on codes must be reported in addition to the primary procedure or service code and can never be reported alone. In addition, they are to be reported by the same provider of the service. Additional information on add-on codes is located in the Introduction of the CPT manual under the heading of “Add-on Codes.”

EXAMPLE: 11000 Debridement of extensive eczematous or infected skin; up to 10% of body surface +11001 each additional 10% of the body surface, or part thereof (List separately in addition to code for primary procedure)

The placement of the symbol alerts the coder that code 11001 is an add-on code and can be used only in conjunction with code 11000.

Number Symbol

The **number symbol** indicates codes that are out of numerical sequence. As CPT codes have been added over the years, codes have been listed out of numerical order to allow the placement of procedures with related concepts within code families, regardless of the availability of sequential numerical code numbers. The number symbol is used in the body of the CPT manual to indicate a code that is out of numerical order. The symbol will precede other symbols that have been assigned to a code.

EXAMPLE:

Excision

(For bone biopsy, see 20220–20251)
21550 Biopsy, soft tissue of neck or thorax
 (For needle biopsy of soft tissue, use 20206)
21552 Code is out of numerical sequence. See 21550–21558
21554 Code is out of numerical sequence. See 21550–21558
21555 Excision, tumor, soft tissue of neck or anterior thorax, subcutaneous; less than 3 cm
21552 3 cm or greater

Code 21552 is the code that is out of numerical sequence. Appendix N lists a summary of resequenced CPT codes, thus indicating the codes that do not appear in the body of the CPT manual in numerical order.

Forbidden or Prohibitory Symbol

The **forbidden or prohibitory symbol** indicates that a code is exempt from modifier –51 and also has not been denoted as a CPT add-on code. Modifier –51 indicates that multiple procedures have been performed. The use of modifiers will be discussed later in the textbook. Appendix E of the CPT manual lists the summary of CPT codes that are exempt from modifier –51. Review Appendix E for the complete list of codes that are exempt from the use of modifier –51.

 **20974** Electrical stimulation to aid bone healing; noninvasive (nonoperative)

Hollow Circle Symbol

The **hollow circle symbol** indicates a reinstated or recycled code in CPT. This symbol is used in the CPT manual only if a code has been reinstated. In those years in which no codes are reinstated or recycled, the hollow circle symbol will not appear in the code book.

In 2010, code 1127F was deleted, and then it was reinstated in 2012. Thus, the following example appeared in the 2012 edition of CPT:

EXAMPLE:

 **1127F** New episode for condition (NMA—No Measure Associated)

This symbol only appears the year it has been reinstated, therefore, the 2022 edition of CPT does not have the hollow circle symbol next to this code.

Flash Symbol

The **flash symbol** indicates codes for vaccines that are pending FDA approval. To see examples of vaccines awaiting FDA approval, reference Appendix K in the CPT manual.

Proprietary Laboratory Analyses (PLA) Tests Symbol

The **proprietary laboratory analyses (PLA) tests symbol**, , is used to denote duplicate proprietary laboratory analyses (PLA) tests. The PLA codes define proprietary clinical laboratory analyses. Appendix O, of the CPT manual, includes all codes that are included in the Proprietary Laboratory Analyses subsection of the Pathology and Laboratory Section of the CPT manual. PLA test codes will be further defined in the Pathology and Laboratory chapter of this textbook. **The Category I proprietary laboratory analyses (PLA) tests symbol**  is used to identify Category I PLA codes. For a full explanation of PLA codes and the use of symbols that relate to PLA, reference the information found in the CPT manual prior to code 0001U found at the end of the Pathology and Laboratory section of the coding manual.

Star Symbol

The **star symbol** was added in the 2017 edition of CPT to denote codes that may be used to report synchronous (real-time) telemedicine services when modifier –95 is appended to the code. Telemedicine services are services that are rendered using electronic communication and encompasses interactive telecommunications, which, at a minimum, includes video and audio communication between the patient and the provider. The star symbol is listed in the CPT manual preceding the code number. Appendix P of the CPT manual lists the CPT codes that can be used as telemedicine codes. In 2020 as the United States faced the COVID-19 pandemic the country saw an increase in telemedicine services. Telemedicine is a safe manner in which patients could “see” their providers without having to leave their homes and face the possibility of being exposed to COVID-19.

EXAMPLE: Dr. Jones treats patients with a diagnosis of Parkinson's Disease who reside in a nursing home facility via telemedicine services to evaluate the progression of the disease. Dr. Jones selects the evaluation and management code 99309 to report the subsequent nursing facility care services. Code 99309-95 is used to report this service since this is performed via telemedicine.

Reference code 99309 in the evaluation and management section of the CPT manual and note that the star symbol appears before the code to indicate that this service can be provided via telemedicine. Further explanation of the use of modifier –95 will be explained in Chapter 2 of this textbook.

Sections, Subsections, Categories, Subcategories, and Headings of the CPT Manual

There are six main sections in CPT. These main sections are as follows. (Note that the sections do not appear in numerical order within the CPT manual.)

Section Title	Code Range
Evaluation and Management	99202–99499
Anesthesia	00100–01999, 99100–99140
Surgery	10004–69990
Radiology	70010–79999
Pathology and Laboratory	80047–89398, 0001U–0284U
Medicine	90281–99199, 99500–99607

Each main section is divided further into subsections arranged by anatomic site, procedure, descriptors, or condition subheadings.

EXAMPLE: Referencing the Surgery section of the CPT manual you will see the following arrangement for codes that relate to incision and drainage procedures of the integumentary system. I have selected the specific code 10080 for this illustration:

```
(Section) Surgery
  (Subsection) Integumentary System
    (Subcategory) Skin, Subcutaneous, and Accessory Structures
      (Heading) Incision and Drainage
        (Procedure) 10080 Incision and drainage of pilonidal cyst; simple
```

The coder should keep in mind that the CPT manual is also arranged from head to toe and from the trunk outward. The Surgery section illustrates this clearly with the procedures for the Musculoskeletal System.

EXAMPLE:

```
(Section) Surgery
  (Subsection) Musculoskeletal System
    (Subcategory) Head
      (Heading) Incision
        (Procedure) 21010 Arthrotomy, temporomandibular joint
```

The next subcategory is the Neck (Soft Tissues) and Thorax, with the heading of “Incision,” starting with procedure code 21501. Then the code subcategories move on to the Back and Flank, Spine (Vertebral Column), Abdomen, Shoulder, Humerus (Upper Arm) and Elbow, Forearm and Wrist, and Hand and Fingers. The subcategories continue in the same manner, beginning with the Pelvis and Hip Joint and moving the rest of the way down the body.

The codes are in numeric order within each section of the code manual, except for those cases when codes have been added out of sequence. These out-of-sequence codes are identified by the number symbol (#), as discussed earlier in this chapter. Locating specific codes will be discussed later in this chapter.

When a code is located in the main section of the CPT manual, please be aware of semicolon (;) use within the code descriptions. The semicolon is a very important symbol in CPT; it is the key to making proper code selections. The semicolon separates the common portion of the procedure description from the unique portion of the procedure description.

EXAMPLE: The provider documentation states, “I&D of a pilonidal cyst was performed today. Extensive amounts of pus were exudated. Patient tolerated procedure well. This is considered a complicated I&D because of the presence of infection.”

The procedure codes for this case are found in the Surgery section and read as follows:

10080 Incision and drainage of pilonidal cyst; simple
10081 complicated

The code 10081 would be selected to report this procedure.

The way to read the code description for code 10081 properly is, “Incision and drainage of pilonidal cyst; complicated.” The indentation indicates that after the semicolon, the term “complicated” is used for code 10081.

Exercise 1.1—Check Your Understanding

For the codes given, indicate the section and subsection where the code is found. The first one is done for you.

Code	Section/Subsection	Code	Section/Subsection
1. 70300	Radiology/Diagnostic Radiology (Diagnostic Imaging)	10. 65112	_____
2. 60220	_____	11. 90371	_____
3. 26034	_____	12. 99203	_____
4. 88036	_____	13. 10160	_____
5. 43651	_____	14. 33120	_____
6. 38115	_____	15. 50100	_____
7. 99304	_____	16. 21811	_____
8. 97010	_____	17. 66184	_____
9. 77021	_____	18. 52441	_____
		19. 61000	_____
		20. 59074	_____

Guidelines

At the start of each of the CPT main sections, section-specific guidelines are presented. **Guidelines** define items that are necessary for appropriately interpreting and reporting the procedures and services contained within that section of the CPT manual. The guidelines specific to each section of CPT codes are strictly followed. Guidelines are provided at the start of each main section, but guidelines, or notes, may also appear at the beginning of a subsection.

EXAMPLE: In the Surgery section, prior to the description for code 11200, the following note appears after the heading “Removal of Skin Tags”:

Removal by scissoring or any sharp method, ligature strangulation, electrosurgical destruction, or combination of treatment modalities, including chemical destruction or electrocauterization of wound, with or without local anesthesia.

This note further explains that if the skin tag was removed by any method listed, it would be proper to assign the appropriate CPT code from this subsection.

Coders should read and review each of the guideline sections at the start of each year for any noted changes that may have been made from the prior year's guidelines. As discussed earlier in this chapter, when text changes are made the revised text will appear within the horizontal triangles symbol.

Index

The Index is located in the back of the CPT manual. Instructions for the use of the CPT Index appear in the back of the CPT manual prior to the Index. The Index is organized by main terms. The main terms, which are in bold print, are organized by one of the following:

1. Procedure or Service
2. Organ or other Anatomic Site
3. Condition
4. Synonyms, Eponyms, and Abbreviations

When locating a term in the index, always follow this order. First, attempt to locate the main term by the name of the procedure or service, then attempt to identify it by organ or anatomic site, then by condition, and last by synonyms, eponyms, or abbreviations.

Main terms in the Index can be followed by a series of subterms that modify the main term. Subterms further define or clarify the main term. The coder must review the subterms because they have an effect on the selection of the appropriate code for the procedure. Some entries in the Index will have more than one code that applies to a given index entry; a range of codes will be listed. You will notice a comma separating the two codes. If more than two codes in a series apply, they will be separated by a hyphen. The coder must reference all the codes listed in the Index in the main section of the CPT manual. The coder should select the code after referencing the main sections. Always verify codes in the main text of CPT.

Appendices

The appendices are located in the back of the CPT manual, before the Index. Locate the appendices in the CPT manual and review the content found in each appendix of the manual. The appendices in CPT can be summarized as follows.

Appendix	Description
Appendix A—Modifiers	Detailed description of each of the modifiers used with CPT codes.
Appendix B—Summary of Additions, Deletions, and Revisions	Additions, deletions, and revised CPT codes for the current edition of CPT. This is a good reference at the beginning of the year when a new edition of CPT is published as it can be referenced for updating billing sheets and code summary sheets used by clinical staff. The appendix shows the actual changes that have been made to the code descriptions, new codes that have been added and deleted codes. In Appendix B of the CPT manual, read through the paragraph following the heading for additional information about how the symbols are used in this appendix.
Appendix C—Clinical Examples	Clinical examples for codes found in the Evaluation and Management section of CPT. This appendix provides valuable information about the selection of Evaluation and Management, E/M, codes and provides clinical examples of cases for various E/M codes.
Appendix D—Summary of CPT Add-on Codes	List of add-on codes found throughout CPT. Add-on codes can be recognized within the sections of the CPT manual because preceding the code number the + symbol is listed in the CPT manual.

(continues)

(continued)

Appendix	Description
Appendix E—Summary of CPT Codes Exempt from Modifier 51	The codes listed here are exempt from use of a –51 modifier.
Appendix F—Summary of CPT Codes Exempt from Modifier 63	The codes listed here are exempt from use of a –63 modifier.
Appendix G—Summary of CPT Codes That Include Moderate (Conscious) Sedation	On January 1, 2017, the summary of CPT codes that include moderate (conscious) sedation, Appendix G, was removed from the CPT appendices. Appendix G now states that for information and guidance on reporting moderate sedation services the coder should reference the guidelines for codes 99151, 99152, 99153, 99155, 99156, and 99157.
Appendix H—Alphabetical Clinical Topics Listing (AKA, Alphabetical Listing)	This appendix, which included the Alphabetical Clinical Topics Listing, has been removed from the CPT manual. The appendix now lists the AMA website for obtaining this information.
Appendix I—Genetic Testing Code Modifiers	Genetic testing code modifiers have been removed from the CPT manual. The appendix now lists a website to reference for up-to-date information.
Appendix J—Electrodiagnostic Medicine Listing of Sensory, Motor, and Mixed Nerves	This appendix contains a listing of sensory, motor, and mixed nerves and the appropriate nerve conduction study code that is used. This should be referenced when selecting codes 95907–95913.
Appendix K—Product Pending FDA Approval	This appendix contains a listing of vaccines pending FDA approval.
Appendix L—Vascular Families	Appendix L contains a listing of vascular families, the branch order, and those families commonly reported during arteriographic procedures.
Appendix M—Renumbered CPT Codes—Citations Crosswalk	This appendix contains a listing of renumbered and crosswalked codes and their descriptions.
Appendix N—Summary of Resequenced CPT Codes	Appendix N contains a listing of the CPT codes that are not in numerical order in the CPT manual. This appendix can be referenced to identify the codes out of numerical order.
Appendix O—Multianalyte Assays with Algorithmic Analyses and Proprietary Laboratory Analyses	This appendix lists codes that are unique to a single clinical laboratory or manufacturer.
Appendix P—CPT Codes That May Be Used for Synchronous Telemedicine Services	This appendix is a summary of the CPT codes that may be used to report real-time telemedicine services.
Appendix Q—Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) Vaccines	This appendix can be used to identify the individual severe acute respiratory syndrome coronavirus vaccine product codes and the associated immunization administration codes, the name of the vaccine manufacturer, the specific vaccine name, the National Drug Code (NDC) product ID, and the dosing interval for the vaccine.
Appendix R—Digital Medicine-Services Taxonomy	This appendix contains a listing of digital medicine services and it classifies CPT codes into categories related to digital medicine services. The categories are: clinician-to-patient services, clinician-to-clinician services, patient monitoring services and digital diagnostic services. The appendix defines each of these categories and provides additional information about the use and purpose of Appendix R. Locate Appendix R in the CPT coding manual and read all of the notes that pertain to this appendix. Also review the information in the table that is present in the appendix.

Become familiar with the contents of the appendices because they provide an excellent source for reference information. Please note that the information in Appendix Q—SARS-CoV-2 Vaccines will be updated throughout 2022 as additional booster doses of vaccines are approved and administered.

CPT as Part of HCPCS

Until 1983, CPT codes were recognized only by private insurance companies. After that time, the Healthcare Financing Administration developed the **Healthcare Common Procedure Coding System (HCPCS)**, using CPT codes as part of the HCPCS system for reporting Medicare services. The Healthcare Financing Administration is now known as the Centers for Medicare and Medicaid Services (CMS). The CPT codes that were already in use became the Level I or Category I codes of the new HCPCS coding system for the Medicare program. Some third-party payers also recognize the additional codes in HCPCS.

HCPCS

The Healthcare Common Procedure Coding System, commonly referred to as HCPCS (pronounced “hicpics”), is divided into Level I and Level II.

HCPCS Level I

The CPT codes are **Level I codes**. These codes are divided into Category I, Category II, and Category III. **Category I** codes are the codes from the main sections of CPT:

- Evaluation and Management
- Anesthesia
- Surgery
- Radiology
- Pathology and Laboratory
- Medicine

These codes are used to report services rendered by providers. They are mandatory.

Category II codes are not mandatory and are considered tracking codes. In the CPT manual, following the Medicine section, Category II codes can be located. Category II codes should never be used as a primary procedure code.

EXAMPLE: The following code represents a Category II code:

1005F Asthma symptoms evaluated (includes documentation of numeric frequency of symptoms or patient completion of an asthma assessment tool/survey/questionnaire) (NMA-No Measure Associated)

Category III codes, located in the CPT codebook after the Category II codes, are temporary codes for emerging technologies, services, procedures, and service paradigms, and are used for the collection of statistical data. With the creation of new procedures and technologies, these temporary codes can be assigned as additional codes to track their use. To become familiar with the reporting guidelines for Category III codes, reference the Category III code listing in the CPT manual. (The Category Code listing is found in the section prior to the start of the Appendices in the CPT manual.) As stated in this section of the CPT manual, if a Category III code is available, the Category III code must be reported instead of a Category I unlisted code. This will be discussed further later in the textbook.

EXAMPLE: The following represents a Category III code:

0208T Pure tone audiometry (threshold), automated; air only

HCPSC Level II

HCPSC **Level II codes** are commonly referred to as **National Codes**. These codes are published annually by the Medicare program and are used to bill for services and procedures that are not included in the Level I codes. These codes can be obtained on the Centers for Medicare and Medicaid Services (CMS) website and from the published annual edition of the codes. HCPSC Level II codes consist of one alpha character (A through V) followed by four digits. HCPSC Level II codes are discussed in Chapter 23 of this textbook.

Summary

- Current Procedural Terminology (CPT) comprises codes and guidelines used by the medical profession to report procedures and services provided to a patient during an encounter.
- The introduction of CPT contains explanations of the symbols used, how to maneuver through the book, and instructions for using the book.
- The main sections of CPT contain the codes used to report procedures to the insurance company/payer.
- The index helps the coder find the service that needs to be reported.
- The appendices further assist the coder with quick references to modifiers and coding changes.

Internet Links

For more information about CMS and the HCPSC coding system, visit <http://www.cms.gov>.

Chapter Review

True/False

Instructions: Indicate whether the following statements are true (T) or false (F).

1. _____ CPT codes tell the insurance carrier what brought the patient to the physician's office.
2. _____ Text, symbols, and the history of CPT are found in the introduction of the code book.
3. _____ The CPT code book is updated annually on July 1.
4. _____ The Surgery section of codes begins with code 10001 and goes through code 69999.
5. _____ ▲ is the symbol for a revised code.

Fill in the Blank

Instructions: Fill in the blanks in the statements that follow.

6. The CPT coding system was first published in 1966 by _____.
7. A complete and detailed description of all modifiers used in CPT is found in _____.
8. The CPT manual contains _____ main sections.
9. The _____ separates the common portion of the code description from additional portions of the code.
10. The _____ is organized by main terms.

Coding Assignments

For each code listed, note the main section of the CPT manual in which you would find the code.
The first one is done for you.

- | | | | |
|-----------|------------|-----------|-------|
| 1. 00142 | Anesthesia | 11. 64400 | _____ |
| 2. 23076 | _____ | 12. 77003 | _____ |
| 3. 88348 | _____ | 13. 30520 | _____ |
| 4. 62281 | _____ | 14. 89264 | _____ |
| 5. 65091 | _____ | 15. 92326 | _____ |
| 6. 90935 | _____ | 16. 90651 | _____ |
| 7. 99456 | _____ | 17. 80345 | _____ |
| 8. 75810 | _____ | 18. 77307 | _____ |
| 9. 37766 | _____ | 19. 33955 | _____ |
| 10. 93283 | _____ | 20. 99188 | _____ |

Short Answer

Using the introduction to the CPT manual as a reference, define the following.

1. Unlisted procedure or service

2. Add-on codes

3. Modifiers

4. Special Report

5. Alphabetical Reference Index

6. Section Numbers and Their Sequences

7. Using Appendix D of the CPT manual, review the following codes to determine if the code listed is an add-on code.

Next to the code, write “Yes” if the code is an add-on code or “No” if the code is not an add-on code.

Code	Is this an add-on code?	Code	Is this an add-on code?
11047	_____	63082	_____
60540	_____	81416	_____
36100	_____		

8. Using Appendix E of the CPT manual, review the following codes to determine if the code listed is exempt from modifier –51 use.

Next to the code, write “Yes” if the code is exempt or “No” if the code is not exempt.

Code	Is this code exempt from the use of modifier –51?	Code	Is this code exempt from the use of modifier –51?
99202	_____	93618	_____
20975	_____	36620	_____
97535	_____		

9. Differentiate between Level I and Level II codes in HCPCS.
10. Reference Appendix Q in the CPT coding manual. For the vaccine code listed state the vaccine administration code(s) that are reported with the vaccine code listed according to the table. List the codes for the first and second dose. If only one dose is given list only one code.

Vaccine Code	Vaccine Administration Code(s)
91302	
91304	
91303	



CHAPTER

2

Modifiers

Chapter Outline

Introduction	CPT Level I Modifiers
Definition and Purposes of Modifiers	HCPCS Level II Modifiers
Use of Modifiers for Various Procedures and Service Locations	Summary
Modifiers Used for Hospital Outpatient Services	Internet Links
	Chapter Review
	Case Studies

Learning Objectives

At the conclusion of this chapter, you should be able to:

1. Identify where a list of CPT modifiers can be found in the CPT manual.
2. Sequence pricing and statistical modifiers in the proper order.
3. Differentiate between pricing and statistical modifiers.
4. Define the various CPT modifiers used.
5. Identify modifiers approved for hospital outpatient services.
6. Define the various HCPCS Level II modifiers used.
7. Assign CPT and HCPCS Level II modifiers to procedural statements.
8. Identify where modifiers are listed on the CMS-1500 form.

Key Terms

alternative laboratory platform testing— modifier 92	assistant surgeon (when qualified resident surgeon is not available)—modifier 82	decision for surgery— modifier 57	discontinued outpatient hospital/ambulatory surgery center (ASC)
anesthesia by surgeon— modifier 47	bilateral procedure— modifier 50	discontinued outpatient hospital/ambulatory surgery center (ASC) procedure after administration of	procedure prior to the administration of anesthesia—modifier 73
assistant surgeon— modifier 80	CPT modifier	anesthesia—modifier 74	discontinued procedure—modifier 53

distinct procedural service—modifier 59	preoperative management only—modifier 56	physician or other qualified health care professional—modifier 76	audio and video telecommunications system—modifier 95
habilitative services—modifier 96	preventive service—modifier 33	significant, separately identifiable E/M service by the same physician or other qualified health care professional on the same day of the procedure or other service—modifier 25	two surgeons—modifier 62
increased procedural services—modifier 22	pricing modifiers	staged procedure	unplanned return to the operating/procedure room by the same physician or other qualified health care professional for a related procedure during the postoperative period—modifier 78
informational modifiers	procedure performed on infants less than 4 kg—modifier 63	staged or related procedure or service by the same physician or other qualified health care professional during the postoperative period—modifier 58	unrelated E/M service by the same physician or other qualified health care professional during postoperative period—modifier 24
Level I (CPT) modifiers	professional component—modifier 26	statistical modifiers	unrelated procedure or service by the same physician or other qualified health care professional during the postoperative period—modifier 79
Level II (HCPCS/National) modifiers	reduced services—modifier 52	surgical care only—modifier 54	unusual anesthesia—modifier 23
mandated services—modifier 32	reference (outside) laboratory—modifier 90	surgical team—modifier 66	
minimum assistant surgeon—modifier 81	rehabilitative services—modifier 97	synchronous telemedicine service rendered via a real-time interactive	
multiple modifiers—modifier 99	repeat clinical diagnostic laboratory test—modifier 91		
multiple outpatient hospital E/M encounters on the same date—modifier 27	repeat procedure or service by another physician or other qualified health care professional—modifier 77		
multiple procedures—modifier 51	repeat procedure or service by same		
postoperative management only—modifier 55			

Introduction

At times, a CPT code needs to be reported with the addition of a modifier. Modifiers give additional information, when necessary, about the CPT code to a third-party payer to ensure that claims are paid correctly.

Definition and Purposes of Modifiers

A **CPT modifier** is a two-digit code that is appended to the CPT code to indicate that a service or procedure has been altered for some reason, but it does not change the main definition of the code. The modifier further describes the service performed. Two types of modifiers are used with CPT codes: **Level I (CPT) modifiers** are two-digit numeric codes, whereas **Level II (HCPCS/National) modifiers** are two-digit alphanumeric modifiers. A complete listing of Level I modifiers is contained in Appendix A of the CPT manual. To become familiar with the modifier codes and descriptions, review Appendix A of the CPT manual.

Modifiers are used for various reasons, including the following:

- A service or procedure has both a technical and professional component.
- A service or procedure was performed by more than one physician.
- A service or procedure was performed in more than one location.

- A service or procedure has taken more time to complete than routinely would occur.
- A service or procedure was reduced or increased.
- Only part of a procedure was completed.
- A bilateral procedure was performed.
- A service or procedure was completed multiple times.
- An unusual event occurred during the procedure.
- An accompanying or adjunctive procedure was performed.

Use of Modifiers for Various Procedures and Service Locations

As mentioned earlier in this chapter, Appendix A of the CPT manual lists the Level I modifiers. It should be noted that instruction is also given as to which modifiers are used for physician services and which modifiers are appropriate for ambulatory surgery center hospital outpatient use.

Modifiers Used with Physician Services

When billing physician services, place modifiers in item 24d of the CMS-1500 form, following the CPT code. Appendix I of this textbook provides an example of the CMS-1500 form. Reference Appendix I, Figure A1-1, of this textbook to see where to place the modifier on the CMS-1500 form.

When reporting modifiers for Medicare claims, the CPT code is followed by the modifier. It should be noted that some third-party payers use different instructions for reporting modifiers. It is important to review the modifier instructions for the payer you are billing. This will be explained further when we discuss the various modifiers.

The CMS-1500 claim form contains modifier fields. For Medicare claims, when you enter only one modifier, enter it in the first modifier field. When more than one modifier is submitted, the modifiers must be ranked according to whether the modifier will affect the fee for the service. Modifiers that affect pricing are listed in Table 2-1 and should be reported in the first modifier field because they directly affect the fee for a service. The modifiers listed in Table 2-1 are often referred to as **pricing modifiers**, and they either increase or decrease the fee for the service.

The remaining modifiers, often referred to as **statistical modifiers** or **informational modifiers**, are used for informational purposes and have an impact on the processing or payment of the code billed but do not affect the fee. Table 2-2 lists the statistical/informational modifiers.

It is important for the coder to also enter the pricing modifier in the first modifier field.

EXAMPLE: Ranking of Two Modifiers—One pricing modifier and one statistical modifier.

Assume that Dr. Smith performed an open incision and drainage of an appendiceal abscess and reported code 44900. Two days later, Dr. Smith repeated the same procedure on the same patient. During this episode of care, he only performed the surgical care; therefore, modifier 54, surgical care only, would be appended to the code 44900. Because this is a repeat procedure by the same physician, modifier 76 also would have to be reported. Therefore, modifier 54 should be reported in the first modifier field, because it affects pricing, and modifier 76 would be entered in the second modifier field, because it does not affect pricing.

TABLE 2-1 Pricing Modifiers That Affect Fees

AA	AD	AH	AJ	AS	GM	QB	QK	QU	QX	QY	QZ
SG	TC	UN	UP	UQ	UR	US	22	26	50	51	52
53	54	55	56	62	66	73	74	78	80	82	99

TABLE 2-2 Statistical and Informational Modifiers

AE	AF	AG	AK	AR	AT	AM	CC	CG	E1	E2	E3
E4	EJ	EM	EP	ET	F1	F2	F3	F4	F5	F6	F7
F8	F9	FA	FP	G1	G2	G3	G4	G5	G6	G7	G8
G9	GA	GB	GC	GE	GG	GH	GJ	GN	GO	GP	GQ
GT	GV	GW	GY	GZ	KO	KP	KQ	KX	LC	LD	LR
LS	LT	Q3	Q4	Q5	Q6	Q7	Q8	Q9	QA	QC	QD
QL	QM	QN	QP	QQ	QS	QT	QV	QW	RC	RD	RP
RT	SF	SW	SY	T1	T2	T3	T4	T5	T6	T7	T8
T9	TA	VP	23	24	25	32	47	57	58	59	76
77	79	90	91	95							

When reporting more than one statistical or informational modifier with no other pricing modifiers, you can report the statistical or information modifiers in any order, with the exception of the QT, QW, and SF modifiers. These three modifiers are valid for use only in the first modifier field. Assume that modifiers T7 and 58 are being reported together. The modifiers can be sequenced in any order because they are both statistical modifiers.

Exercise 2.1—Check Your Understanding

List the modifiers given in the series in the proper order. If the order does not make a difference, indicate this with ND.

- | | | | |
|-----------|-------|-----------|-------|
| 1. 62, 22 | _____ | 4. AA, 47 | _____ |
| 2. GW, US | _____ | 5. 59, 51 | _____ |
| 3. 56, T2 | _____ | | |

Use of Multiple Modifiers—Modifier 99

Modifier 99—multiple modifiers indicates that multiple modifiers are needed for an individual CPT code. This modifier is not recognized by all insurance plans, so coders must review the coding guidelines for plans that are being billed. Medicare recognizes modifier 99, and coders should refer to Medicare administrative contractor information for instructions on reporting this modifier. Many Medicare administrative contractors require modifier 99 to be entered in the first modifier field when more than two modifiers apply. Additional information is required in the narrative field (item 19 on the claim form), listing all modifiers in the correct ranking order.

Exercise 2.2—Check Your Understanding

Pricing and Statistical/Informational Modifiers

For the following modifiers, state whether the modifier is a pricing modifier or a statistical/informational modifier.

Modifier	Type	Modifier	Type
1. 52	_____	6. 23	_____
2. E3	_____	7. 59	_____
3. 82	_____	8. 50	_____
4. 78	_____	9. 77	_____
5. GN	_____	10. QD	_____

Modifiers Used for Hospital Outpatient Services

Hospital outpatient services are reported on the UB-04 form, also known as the CMS-1450 form. When modifiers are reported for these services, they should be placed in field 44 of that form. Reference Appendix I, Figure A1-2, of this textbook to determine where modifiers should be placed on a UB-04/CMS-1450 form.

Modifiers Approved for Ambulatory Surgery Center Hospital Outpatient Use

Not all modifiers are approved for use on ambulatory surgery claims. The list of approved modifiers is reviewed annually. Table 2-3 lists the currently approved modifiers. Appendix A of the CPT manual also lists the modifiers that are approved for the ambulatory surgery setting. Familiarize yourself with the modifiers used in this setting by reading the listing and the modifiers' descriptions in Appendix A of the CPT manual.

TABLE 2-3 Modifiers Approved for Ambulatory Surgery Center Hospital Outpatient Use

Level I Modifiers													
25	27	33	50	52	58	59	73	74	76	77	78	79	91
Level II Modifiers													
LT	RT	E1	E2	E3	E4	FA	F1	F2	F3	F4	F5	F6	
F7	F8	F9	TA	T1	T2	T3	T4	T5	T6	T7	T8	T9	
LC	LD	LM	RC	RI	GG	GH	QM	QN	XE	XS	XP	XU	

Exercise 2.3—Check Your Understanding

Modifiers Used for Ambulatory Surgery Center Hospital Outpatient Claims

Mary Smith is an outpatient surgery coder at Sunny Valley Hospital, and she is developing a list of modifiers that can be used in this setting. Next to the modifier listed, write “Yes” if the modifier should be used in this setting or “No” if the modifier should not be used in this setting.

Modifier	Use in Outpatient Surgery Setting?	Modifier	Use in Outpatient Surgery Setting?
1. 22	_____	9. E4	_____
2. 50	_____	10. RT	_____
3. 53	_____	11. F3	_____
4. 59	_____	12. TC	_____
5. 62	_____	13. RC	_____
6. 66	_____	14. GG	_____
7. 73	_____	15. T1	_____
8. 76	_____		

CPT Level I Modifiers

The best way to understand how to use modifiers is to review the definition for each modifier found in Appendix A of the CPT manual. Here, we discuss the use of each modifier and give examples of cases that require modifier use. The titles of the modifiers are listed as they appear in the CPT manual.

Increased Procedural Services—Modifier 22

Assign **modifier 22** when the service provided is greater than that usually required for the listed procedure. This modifier should not be appended to an Evaluation and Management code.

EXAMPLE: A radical abdominal hysterectomy with bilateral total pelvic lymphadenectomy and para-aortic lymph node biopsy was performed on Peg Smith. The procedure took 50 minutes longer than normal because, during the surgery, the patient experienced prolonged bleeding.

The code to report would be 58210-22 because of the unusual amount of time that it took to complete the procedure.

The use of modifier 22 is tracked by insurance companies. This should be used only for cases that are truly unusual and for which documentation of the case can justify the unusual aspect of the service. The surgeon needs to identify the additional work, such as technical difficulties during the procedure, or an increased intensity and/or time, just to name a few items. When this modifier is reported, an operative note will be requested and a special report may be requested, which would require the following information:

- A complete description of the procedure performed.
- The reason the service fell outside the parameters of the CPT code description.
- The time, effort, and equipment used during the procedure.
- The complexity of the case, describing the patient's condition and symptoms that occurred during the procedure.
- The preoperative and postoperative diagnoses.
- Pertinent physical findings that influenced the case and procedure.
- Any diagnostic and therapeutic services that were rendered in association with the procedure.
- Concurrent diagnosis, symptoms, and problems that were present.
- The anticipated follow-up care.

Unusual Anesthesia—Modifier 23

Occasionally, a procedure that routinely is not completed with any type of anesthesia or local anesthesia requires the use of general anesthesia. When this occurs, **modifier 23** is appended to the CPT code.

EXAMPLE: A patient with a psychiatric condition needs to undergo surgery for a simple drainage of a finger abscess. Because the patient has much anxiety about the procedure, the physician uses general anesthesia.

The code to report is 26010-23.

Unrelated Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional During Postoperative Period—Modifier 24

For each procedure, a postoperative period is established that denotes the usual postoperative period for the condition related to the surgery. When a patient is seen for an **unrelated Evaluation and Management service during a postoperative period**, **modifier 24** is appended to the Evaluation and Management code, abbreviated

E/M code. This would indicate that an E/M service was performed during a postoperative period for a reason or reasons unrelated to the original procedure. The diagnosis code reported for the unrelated Evaluation and Management service must reflect the reason for the unrelated service.

EXAMPLE: Stella Monkowski had an open cholecystectomy and was discharged home. Five days after the surgery, she experienced chest pain and was seen by the same physician who performed the surgery. He evaluated the chest pain.

The physician reported code 99213-24 to indicate that she was seen for a condition unrelated to the surgery. The diagnosis code for this visit would be chest pain, which is a condition that is not related to the cholecystectomy.

Significant, Separately Identifiable Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional on the Same Day of the Procedure or Other Service—Modifier 25

Modifier 25 is added to any appropriate level of an Evaluation and Management service when the physician needs to indicate that on the day a procedure or service was performed, the patient's condition required a significant, separately identifiable Evaluation and Management service that was above and beyond the other service provided or beyond the usual preoperative and postoperative care associated with the procedure that was performed.

EXAMPLE: Devon presented to the doctor's office with knee pain that was a result of a sports injury. The physician examined Devon and determined that he had tendonitis. In the course of his examination, several warts were noted on the plantar side of Devon's left foot. The doctor felt that treatment should be started due to the size of two of the three warts. Devon did state that he has pain when wearing his shoe gear.

The physician reported code 99213-25 with a diagnosis of knee pain and tendonitis; in addition, he reported 17110 for cryotherapy treatment of the warts. The diagnosis code assigned to 17110 would be plantar warts. As per the definition of modifier 25, there are times when the Evaluation and Management service may be prompted by the same symptom or condition for which the procedure and/or service was provided; therefore, in these cases, different diagnoses are not required for the reporting of the E/M service on the same date.

Professional Component—Modifier 26

A number of CPT procedures have both a professional and a technical component. Examples of codes that have both a professional and a technical component include codes in the Pathology and Radiology chapters and cardiology codes found in the Medicine chapter of CPT. When a physician is reporting only the professional component, the service is identified by adding **modifier 26** to the usual procedure number.

EXAMPLE: Dr. Ty, a radiologist, interprets a four-view x-ray examination of the cervical spine.

This is reported using code 72050-26.

Modifier 26 should not be appended to codes that represent a professional component but do *not* have a technical component as part of the code definition. An example of a code that represents only the professional component is code 93042—Rhythm ECG, one to three leads; interpretation and report only.

Multiple Outpatient Hospital E/M Encounters on the Same Date—Modifier 27

Modifier 27 is appended to an E/M service code when separate and distinct E/M encounters are performed in multiple outpatient hospital settings on the same date. This modifier is not to be used for physician reporting of

multiple E/M services performed by the same physician on the same day. This is to be used for the reporting of services in the Hospital Outpatient Prospective Payment System.

EXAMPLE: Suni Wong is seen by Dr. Smith in the podiatry clinic at Sunny Valley Hospital, and Dr. Smith selects code 99213 to report the services provided. Later that day, Suni Wong goes to the oncology clinic at Sunny Valley Hospital, and Dr. Johnson selects code 99214.

Dr. Smith would report code 99213, and Dr. Johnson would report code 99214-27.

Mandated Services—Modifier 32

At times, services are performed because the service is required or mandated by an insurance company or by a governmental, legislative, or regulatory agency. When this occurs, **modifier 32** is appended to the CPT code to indicate that the service was a mandated service.

EXAMPLE: Joe Wenn was in an automobile accident. His auto insurance company is mandating that he be examined by Dr. Spy to determine the extent of his injuries. Joe has already been seen by his own primary care physician. Because Dr. Spy's examination of Joe is mandated by the auto insurance company, modifier 32 should be appended to the E/M code that Dr. Spy submits.

Dr. Spy submits code 99214-32.

Preventive Service—Modifier 33

Modifier 33 is used for the purpose of identifying the delivery of an evidence-based service in accordance with a U.S. Preventive Services Task Force A or B rating. The modifier is appended to codes representing preventive services. For separately reported services specifically identified as preventive, the modifier should not be used.

Anesthesia by Surgeon—Modifier 47

Modifier 47 is used by physicians or surgeons only when regional or general anesthesia is provided by the same physician or surgeon who is completing a procedure or service. This modifier is not to be used when local anesthesia is used. This modifier is appended to a procedure code or service code and is never appended to the anesthesia code.

EXAMPLE: Dr. Boaz performs a dilation of the esophagus by unguided bougie under general anesthesia on patient Bobby Jones.

Dr. Boaz reports 43450-47.

Bilateral Procedure—Modifier 50

Modifier 50 is used by both facilities and professionals when bilateral procedures are performed in the same operative session. It is used only with codes that describe a unilateral procedure. Modifier 50 is not used on codes that describe bilateral procedures, such as code 31231—Nasal endoscopy, diagnostic, unilateral, or bilateral. It should be noted that some payers prefer RT (right) or LT (left) modifiers instead of modifier 50 and require the code to be reported twice.

EXAMPLE: Dr. Sinus completed a bilateral intranasal maxillary sinusotomy on Linda New.

The code to report this procedure for Medicare patients would be 31020-50. Some insurance companies instruct providers to report the codes as follows: 31020 and 31020-50 or 31020-RT and 31020-LT.

Multiple Procedures—Modifier 51

At times, during the same operative/procedural session, multiple procedures are performed by the same provider. When multiple procedures, other than E/M services, Physical Medicine and Rehabilitation services, or provision of supplies (e.g., vaccines), are performed at the same session by the same provider, the primary procedure or service code would be reported as listed in the CPT manual. The additional procedure(s) or service(s) would be reported by adding **modifier 51** to the additional procedure or service code(s).

EXAMPLE: John Jones has a puncture aspiration of an abscess on his left shoulder. During the same session, the cutting of three benign hyperkeratotic lesions also occurred.

Code 10160 would be reported for the puncture aspiration, whereas code 11056-51 would be reported for the cutting of the lesions.

This modifier is used only by providers and is not used by facilities. It should also be noted that this modifier should not be appended to designated add-on codes or Evaluation and Management codes. Appendix E within the CPT manual contains a list of codes that are exempt from modifier 51.

Reduced Services—Modifier 52

When a service or procedure is partially reduced or eliminated at the physician's discretion, **modifier 52** should be appended to the service or procedure code. This modifier should be used to report reduced services without changing the identification of the basic service. In other words, modifier 52 is used when part of the procedure was performed, but part of the procedure or service was not completed, at the provider's discretion. The use of modifier 52 may prompt a payer to request supporting documentation. The provider documentation should clearly state the reason for the reduced service.

EXAMPLE: Kevin is 10 years old and is presenting for a physical for soccer camp. His physician reviews the camp forms and performs the required physical, but no comprehensive history is obtained. The examination is detailed but not comprehensive.

Kevin's physical is coded with a 99393—Periodic comprehensive preventive medicine; late childhood (age 5–11). A 52 modifier is appended because the history and examination do not meet the requirements for the comprehensive physical code that is used.

CMS states that for outpatient hospital reporting, modifiers 73 and 74 are used in place of modifier 52 for previously scheduled procedures/services that are partially reduced or canceled as a result of extenuating circumstances or those that threaten the well-being of the patient prior to or after administration of anesthesia. Reference the definition of modifier 52 in Appendix A of the CPT manual for additional clarification.

Discontinued Procedure—Modifier 53

At times, the physician may terminate a surgical or diagnostic procedure because of extenuating circumstances that threaten the well-being of the patient. **Modifier 53** would be used for cases in which the surgical or diagnostic procedure was started but discontinued. However, this modifier is not used to report the elective cancelation of a procedure prior to the patient's anesthesia induction and/or surgical preparation in the operating suite.

EXAMPLE: Dr. Rissen brought Danielle into the OR for an endoscopic resection of a renal tumor. Danielle was put out under general anesthesia, and the procedure was started. As Dr. Rissen moved the scope into place through the established nephrostomy and touched the tumor to prep for removal, Danielle's blood pressure dropped from 150/80 to 100/50. Dr. Rissen stopped the procedure immediately, and Danielle was sent to recovery. The surgery was rescheduled when Danielle's blood pressure was stabilized.

Dr. Rissen reported code 50562 with a 53 modifier. The code reflects the renal endoscopy through established nephrostomy with resection of tumor, and the 53 modifier indicates that the procedure was

discontinued by the surgeon due to the condition of the patient. The use of the 53 modifier indicates that additional services may be provided in the future.

As noted earlier for modifier 52, modifiers 73 and 74 are required for outpatient hospital ambulatory surgery center reporting in place of modifier 53. Reference the definition of modifier 53 for further clarification on the reporting for outpatient hospital/ambulatory surgery center reporting.

Surgical Care Only—Modifier 54

For most surgeries, the preoperative care, the surgery, and the postoperative care are completed by the same provider. However, in some cases, elements of surgical care are divided among providers. When this occurs, modifiers are used to indicate which provider performed various elements of the surgical care. **Modifier 54** is used when one physician performed the surgical procedure and another provider or providers completed the preoperative and/or postoperative management.

EXAMPLE: Dr. Patel performed a repair of a ruptured spleen with a partial splenectomy. A different provider performed the pre- and postoperative care.

Because Dr. Patel did not provide the preoperative and postoperative care, the code reported by Dr. Patel would be 38115-54.

Modifier 54 is not used for any procedures that have zero global surgical days. Documentation must show transfer of care between physicians to justify the separation of the reporting of the surgical code. The pre- and postoperative services provided by the physician other than the surgeon would be coded with an appropriate E/M code.

Postoperative Management Only—Modifier 55

Modifier 55 indicates that one provider performed the postoperative management and another provider performed the surgical procedure.

EXAMPLE: Dr. Hill performed a repair of a ruptured spleen with a partial splenectomy on Mary Smith. However, following the surgery, Dr. Cook provided the postoperative care.

Dr. Cook would report code 38115-55.

Preoperative Management Only—Modifier 56

At times, a different provider will perform the preoperative care and evaluation, and another provider will perform the surgical procedure. When this occurs, **modifier 56** is used to report the preoperative care.

EXAMPLE: Prior to surgery, Dr. House evaluated and cared for Mary Smith. Then Dr. Hill performed a repair of a ruptured spleen with a partial splenectomy on Mary Smith.

Because Dr. House performed the preoperative care, the code to report this service would be 38115-56.

Decision for Surgery—Modifier 57

Modifier 57 is appended to an Evaluation and Management service code when, during the service, the initial decision was made to perform surgery.

EXAMPLE: Dr. Jones examined Mary Lou, a 27-year-old female patient, and determined that she needed to have a tonsillectomy and adenoidectomy. This was scheduled to occur in two weeks. Dr. Jones completed a comprehensive history and a comprehensive examination and documented medical decision making of high complexity. The encounter lasted 45 minutes.

Dr. Jones would report 99215-57.

The use of modifier 57 on a minor procedure performed on the same day as the decision for the procedure should be checked with the particular insurance carrier. Some insurance companies allow this; Medicare does not. Medicare prefers the use of a 25 modifier on the Evaluation and Management code for minor procedures with global days of 0 or 10. The coder should check with the payer to find out how they would like the decision for surgery reported.

Staged or Related Procedure or Service by the Same Physician or Other Qualified Health Care Professional During the Postoperative Period—Modifier 58

Modifier 58 is used during the postoperative period of a procedure when

- During the original procedure, a second procedure is planned as part of the care. (This is known as a **staged procedure**.)
- During the postoperative period, more extensive care is needed than what was rendered in the original procedure.
- During the postoperative period, therapy is required following the surgical procedure.

EXAMPLE: A patient presents for insertion of Heyman capsules for clinical brachytherapy. The documentation states that this is the first of two procedures.

The code for the first treatment would be 58346, and the second time the patient presents would be recorded as 58346-58.

Although this modifier indicates that more extensive care was needed, it is not to be used to report the treatment of a problem that requires a return to the operating room. In these situations, modifier 78 is appropriate.

Distinct Procedural Service—Modifier 59

Under certain circumstances, the physician may need to indicate that a procedure or service was independent from other non-E/M services performed on the same day. **Modifier 59** identifies procedures that are not typically reported together but are appropriate under the circumstances. Different anatomical sites or procedures that are not ordinarily encountered or performed on the same day by the same physician may require use of this modifier. It should be noted that when another, already established modifier is appropriate, it should be used rather than modifier 59.

EXAMPLE: Six-year-old Elizabeth fell down in her driveway. She had a 3-cm laceration on her right arm and gravel embedded in the forearm of her left arm. There was an intermediate repair of the laceration on her right arm. There was a 10-square cm debridement of subcutaneous tissue, epidermis, and dermis of her left arm.

The intermediate repair of the laceration includes the debridement of the gravel and would be reported using code 12032. The debridement of the gravel that was embedded in the left arm would be coded 11042 with a 59 modifier. It should be noted that modifier 59 is not appended to an E/M service.

Effective January 1, 2015, four new HCPCS modifiers (XE, XP, XS, XU) were implemented to define specific subsets of modifier 59. The modifiers are collectively referred to as the -X {EPSU} modifiers. Please note that modifier 59 will continue to be used after January 1, 2015 with the new -X {EPSU} modifiers. Modifier 59 is one of the most widely used modifiers, and CMS felt that it was necessary to have more specific information from providers and facilities regarding the submission of the modifier, thus they established the -X {EPSU} modifiers to provide that information.

The -X {EPSU} modifiers are defined as follows:

- XE Separate Encounter—A service that is distinct because it occurred during a separate encounter.
- XS Separate Structure—A service that is distinct because it was performed on a separate organ/structure.

- **XP Separate Practitioner**—A service that is distinct because it was performed by a different practitioner.
- **XU Unusual Non-Overlapping Service**—The use of a service that is distinct because it does not overlap usual components of the main service.

CMS will continue to recognize the –59 modifier, but note that Current Procedural Terminology instructions indicate that modifier 59 should not be used when a more descriptive modifier is available. Therefore if an –X {EPSU} modifier is used for a code, it is incorrect to include modifier 59 as an additional modifier for the code.

Two Surgeons—Modifier 62

Modifier 62 is used when two primary surgeons work together to perform a distinct part(s) of a single reportable procedure. In this situation, each surgeon should report his or her own distinct operative work by adding modifier 62 to the single definitive procedure code. In addition, each surgeon should report any associated add-on codes for the procedure, as long as the two surgeons continued to work as primary surgeons, and append the add-on procedure codes with modifier 62.

EXAMPLE: Mr. Pearl needed surgery to insert a pacemaker. Dr. Johnson made the incision and created the generator pocket. At this point in the procedure, Dr. Hyder inserted the atrial electrode and programmed the pacemaker. The electrode was tested, and then Dr. Johnson closed the incision.

Both surgeons in our example would document their piece of the surgery and report the surgery using 33206-62. It should also be noted that if additional procedure(s) (including add-on procedure[s]) were performed during the same surgical session and one of the surgeons acts as an assistant, those services are reported with modifier 80 or 82 added. The separate code(s) would be reported without modifier 62 added.

Procedure Performed on Infants Less Than 4 kg—Modifier 63

Modifier 63 reports procedures performed on neonates and infants up to a body weight of 4 kg. This modifier is not to be appended to codes from the Evaluation and Management section, Anesthesia section, Radiology section, Pathology/Laboratory section, or Medicine section. As per the definition in Appendix A of the CPT manual, this modifier is to be used on codes 20100–69990, unless otherwise designated in the manual.

EXAMPLE: A 3.6-kg male infant, underwent a repair of a congenital arteriovenous fistula of the thorax and abdomen.

This procedure would be reported with code 35182-63 because of the weight of the child.

Surgical Team—Modifier 66

Some highly complex procedures require the services of several physicians, often of different specialties, plus other highly skilled, specially trained personnel and various types of complex equipment during the operative procedure. When this occurs, it is known as the *surgical team* concept. To indicate this on the claim, each provider should append **modifier 66** to the basic procedure number used for reporting services.

EXAMPLE: A patient underwent the repair of some complex cardiac anomalies by the modified Fontan procedure. It was also necessary to perform a cavopulmonary anastomosis to a second superior vena cava. It was necessary for several cardiothoracic surgeons to work together as a team to accomplish this procedure successfully.

Codes 33617 and 33768 would be used to report this procedure. A 66 modifier is appended to the services to indicate the surgery was performed by a team of surgeons, not just one or two. Each surgeon would need to document the procedure, indicating the need for a team of surgeons, unless one op note can clearly delineate each surgeon's role in the procedure.

Discontinued Outpatient Hospital/Ambulatory Surgery Center (ASC) Procedure Prior to the Administration of Anesthesia—Modifier 73

Modifier 73 is used for outpatient or ambulatory surgery centers and is used when, due to extenuating circumstances or situations that threaten the well-being of the patient, the physician cancels a surgical or diagnostic procedure after the patient's surgical preparation. The preparation includes sedation, when provided, and being taken to the room where the procedure is to be performed; however, the surgery is canceled prior to the administration of anesthesia. Under these circumstances, the procedure code for the intended procedure is used and appended with modifier 73.

EXAMPLE: Mrs. Evans was wheeled into the OR for her breast biopsy. As she was being prepped, minutes prior to the administration of the anesthesia, there was a mechanical problem with the electrical power to the operating room. The generator was not responding, and the other operating rooms were being utilized. The surgeon had to cancel the surgery until a later date.

It should be noted that modifier 73 is not used for the elective cancelation of a service prior to the administration of anesthesia and/or surgical preparation of the patient.

Discontinued Outpatient Hospital/Ambulatory Surgery Center (ASC) Procedure After Administration of Anesthesia—Modifier 74

Like modifier 73, **modifier 74** is used for outpatient or ambulatory surgery centers. Modifier 74 is used when, due to extenuating circumstances or those that threaten the well-being of the patient, the physician terminates a surgical or diagnostic procedure *after* the administration of anesthesia or after the procedure was started. Modifier 74 is appended to the usual procedure code for the intended procedure.

Repeat Procedure or Service by Same Physician or Other Qualified Health Care Professional—Modifier 76

At times, it is necessary for a physician or other qualified health care professional to repeat a procedure or service subsequent to the original procedure or service. When this occurs, **modifier 76** is used. The original procedure or service code is the same for both sessions.

EXAMPLE: A patient underwent a needle thoracentesis aspiration of the pleural space by Dr. Ferrico. Later that day, another thoracentesis was necessary, and Dr. Ferrico performed it.

Dr. Ferrico reported the second procedure with code 32554-76. Note that this modifier is not to be appended to an E/M code.

Repeat Procedure or Service by Another Physician or Other Qualified Health Care Professional—Modifier 77

Modifier 77 is used when a physician or other qualified health care professional needs to indicate that a basic procedure or service performed by another physician had to be repeated. The physician who repeated the procedure would append modifier 77 to the repeated procedure or service code, which would be the same procedure or service code as the original procedure or service code. By slightly modifying our previous example, we can see how to use modifier 77:

EXAMPLE: Mrs. Roberts underwent a needle thoracentesis aspiration of the pleural space by Dr. Clark. The next day, another needle thoracentesis aspiration of the pleural space was necessary; however, Dr. Clark was not available. Dr. Lewis performed the procedure.

Dr. Lewis reported it with code 32554-77. This modifier is not to be appended to an E/M code.

Unplanned Return to the Operating/Procedure Room by the Same Physician or Other Qualified Health Care Professional Following Initial Procedure for a Related Procedure During the Postoperative Period—Modifier 78

At times, a patient is taken back to the operating room for a *related* procedure during the postoperative period of the initial procedure. The claim would indicate that another procedure was performed during the postoperative period of the initial procedure by appending **modifier 78** to the procedure code of the subsequent procedure. It is possible that an unforeseen complication may arise from the original surgery and that the patient may need to be returned to the operating room.

EXAMPLE: A patient had hip replacement surgery performed by Dr. Weiss. Two days postop, the incision developed a hematoma. This required a return trip to the OR, where Dr. Weiss performed a superficial wound dehiscence with a simple closure.

To report this service properly, you would use code 12020-78. Should documentation be requested by a payer, it needs to support the use of this modifier.

Unrelated Procedure or Service by the Same Physician or Other Qualified Health Care Professional During the Postoperative Period—Modifier 79

During a postoperative period, it may be necessary for the performance of another procedure that was unrelated to the original procedure. When this situation occurs, **modifier 79** is used.

EXAMPLE: Mr. Duncan underwent an excision of two lesions on the small intestine by Dr. Cass. Mr. Duncan was experiencing pain in the area of the diaphragm 30 days postop. Several tests were done, and a diaphragmatic hernia was diagnosed. Mr. Duncan underwent surgical repair of a paraesophageal hiatal hernia via thoracotomy.

Dr. Cass reported code 43334-79.

Assistant Surgeon—Modifier 80

During surgery, it is not uncommon for a surgeon to assist another surgeon. To report the services of the assistant surgeon, add modifier 80 to the usual procedure code. The assistant surgeon reports the same code(s) as the primary surgeon, but a **modifier 80** is added to his or her services.

EXAMPLE: Dr. Barton performed an anastomosis on the extrahepatic biliary ducts and gastrointestinal tract. Dr. Carrey assisted Dr. Barton with this procedure.

In our example, Dr. Barton would bill code 47780, whereas Dr. Carrey would report 47780-80 for his services.

It should be noted that Medicare Part B does not cover the services of an assistant surgeon for certain procedures. The physician fee schedule on the CMS Web site lists the modifier 80 exemptions. Payment cannot be collected from the patient for these services if the provider is enrolled as a participating Medicare provider.

Minimum Assistant Surgeon—Modifier 81

Modifier 81 would be used if the circumstances required a second surgeon for a short time, but not throughout the whole procedure. Another instance that would warrant an 81 modifier would be when a second or third assistant surgeon was needed during a procedure.

EXAMPLE: Dr. Grace was performing an open revision of arteriovenous fistula with an autogenous dialysis graft with thrombectomy. At one point, he required the assistance of Dr. Brown to help with some bleeding. Dr. Grace got the patient stable and finished the procedure. Dr. Brown was present only during the critical portion of the surgery and left the surgical suite after the patient stabilized.

Dr. Grace would report his services with CPT code 36833, whereas Dr. Brown would report his services with code 36833-81.

Assistant Surgeon (When Qualified Resident Surgeon Is Not Available in a Teaching Facility)—Modifier 82

Modifier 82 is used when there is the unavailability of a qualified resident surgeon. In the teaching hospital setting, some residency programs allow their residents to participate as assistants-at-surgery. Modifier 82 is appended if a qualified resident surgeon is not available. CMS guidelines require a certification on file for each claim submitted with this modifier as part of section 1842 of the Social Security Act.

EXAMPLE: Dr. Evans was the surgeon on call at 3:00 a.m. when four people were brought into Mercy Hospital, a teaching facility. The four patients had been seriously injured in a motor vehicle accident. All four patients needed immediate surgical attention, which left the surgical teams shorthanded. Dr. Evans asked a colleague in his practice, Dr. Donaldson, to assist because all the surgical residents were caring for other patients.

Dr. Donaldson's services are reported with an 82 modifier to indicate that no surgical residents were available to assist Dr. Evans.

Reference (Outside) Laboratory—Modifier 90

Modifier 90 is used on laboratory procedure codes to indicate that the laboratory procedures are performed by a party other than the treating or reporting physician.

EXAMPLE: Dr. McGuire ordered a urine culture to be done on a patient who he suspected had a bladder infection but who was sensitive to certain antibiotics. The culture was to be done by an outside laboratory because Dr. McGuire's lab does not perform cultures.

The urine culture would be reported with a 90 modifier to indicate that the test was sent out to be run.

Repeat Clinical Diagnostic Laboratory Test—Modifier 91

Modifier 91 is used to indicate that the same laboratory test was repeated on the same day to obtain subsequent (multiple) test results. Problems with equipment or collected specimen, confirmation of initial test results, and the availability of an all inclusive code are *not* considered valid reasons to append this modifier.

EXAMPLE: Jenny presented to her physician with a blood sugar reading of 325. Jenny had a quantitative blood glucose test in the doctor's office, which confirmed her high blood sugar reading. She was given Glucophage, p.o., right then in the office. The physician asked her to wait for an hour, and the test was rerun, with results showing Jenny's blood sugar back in a more acceptable range.

The first test would be reported with code 82947, and the second with code 82947-91.

It should also be noted that this modifier is not used when the code description includes a series of test results that are run on the same day.

Alternative Laboratory Platform Testing—Modifier 92

Modifier 92 is used when laboratory testing is performed by the use of a kit or transportable instrument for HIV testing; codes 86701–86703 and 87389. The kit's components can include a single-use, disposable analytical chamber, which can be carried or transported to the vicinity of the patient.

EXAMPLE: The family planning clinic of the Northeast is conducting HIV screening testing at a college campus using a transportable instrument. The staff is using a finger-stick blood sample to test for HIV-1.

The code used to report the HIV-1 test is code 86701-92.

Synchronous Telemedicine Service Rendered Via a Real-Time Interactive Audio and Video Telecommunications System—Modifier 95

Modifier 95 is used to report synchronous telemedicine services that occur using a real-time interactive audio and video telecommunications system. This modifier can only be appended to services that are listed in Appendix P of the CPT manual. The CMS HCPCS modifier GT (defined as via interactive audio and video telecommunication systems) also currently exists to report telemedicine services to Medicare, but the GT modifier is not accepted by all payers. Modifier 95 was added to provide for the reporting of telemedicine services for payers that do not accept the GT modifier.

When using the 95 modifier the following criteria must be met:

1. The CPT code that is to be reported is listed in appendix P of the CPT manual and the telemedicine star icon appears next to the CPT code description in the CPT manual. (Reference the code description for code 99214 in the CPT manual and in Appendix P of the CPT manual to see how this displays in the CPT manual.)
2. All components of the CPT code description are completed via telemedicine and are documented by the provider of service.
3. A real-time audio and video telecommunication system is used and the provider and patient are in different locations when the service is performed.

EXAMPLE: Dr. Bibbs performed services reported by code 99214 via telemedicine services. Dr. Bibbs is in his office and the patient is 5 miles from his office at a skilled nursing facility. Code 99214-95 is the correct code to report to a payer that accepts the 95 modifier but not the GT modifier.

Remember, prior to using the 95 modifier you must determine that the code may be used for synchronous telemedicine services.

Habilitative Services—Modifier 96

There are services and procedures that are completed for either habilitative or rehabilitative purposes. For example physical or occupational therapies are such services. **Modifier 96**, is be used by a physician or other qualified health care professional, to denote when a service or procedure is provided for habilitative purposes.

Within the CPT manual, habilitative services are defined as services that teach an individual learned skills and functions for daily living that the individual has not yet developed. The habilitative services will then additionally help the individual to maintain and improve the learned skills or also help the individual to maintain, learn, or improve skills and functioning for daily living.

Rehabilitative Services—Modifier 97

Modifier 97 is used to denote services or procedures that are rehabilitative in nature and can be used by a physician or other qualified health care professional. Rehabilitative services are services that occur after an individual was sick, hurt, or disabled. The purpose of the rehabilitative service is to help the individual maintain, get back, or improve skills and functions for daily living that were impaired or lost due to the sickness, injury, or a disability that the individual sustained.

Multiple Modifiers—Modifier 99

Under certain circumstances, more than two modifiers may be necessary to delineate a service completely. When more than two are necessary, modifier 99 is used.

EXAMPLE: Marty presented to Dr. Taggart for treatment of his mycotic nails. He had the great toe on both feet treated, as well as the fourth and fifth toes on the right, and the third and fourth toes on the left.

Dr. Taggart would report his treatment of mycotic nails, code 11721, with the modifiers for the toes that were treated: TA, T2, T3, T5, T8, T9. Since all these modifiers will not fit in the modifier field, the use of modifier 99 would be appropriate. To report this on a claim, most insurance companies require the 99 modifier in the first field, followed by the next three modifiers and the remaining modifiers in the narrative.

HCPCS Level II Modifiers

HCPCS Level II modifiers accompany the HCPCS Level II codes. The Healthcare Common Procedure Coding System (HCPCS) is an alphanumeric system that describes services provided by physicians and other providers. The HCPCS system also provides codes for ambulance and durable medical equipment (DME). DME services include such things as crutches, walkers, and canes. These codes may or may not be reimbursed. The coder, as well as the providers, needs to know that just because a CPT code for a service exists does not mean that the service is reimbursable. This is something that the insurance carriers should be contacted about. More details about the HCPCS code set are explained later in this textbook.

HCPCS modifiers are assigned for the same reason that the other modifiers are assigned: the service being provided needs to be explained further. The author referenced the HCPCS Level II modifier information at <http://www.cms.gov/Medicare/Coding/MedHCPCSGenInfo/index.html>. Listed below are some of the modifiers that are used. The list is not exhaustive. Coders should use the Web sites of the various insurance carriers, as well as the CMS site for clarification on usage of these modifiers. A comprehensive list is found in Appendix 2 of the HCPCS Level II book. The purpose of the following partial listing of Level II HCPCS modifiers is to provide an overview of the use and types of Level II modifiers that are used when reporting HCPCS Level II codes.

Level II—HCPCS Alphanumeric Modifiers

The following is a partial list of the Level II HCPCS modifiers:

- A1**—Dressing for 1 wound.
- A2**—Dressing for 2 wounds.
- A3**—Dressing for 3 wounds.
- A4**—Dressing for 4 wounds.
- A5**—Dressing for 5 wounds.
- A6**—Dressing for 6 wounds.
- A7**—Dressing for 7 wounds.
- A8**—Dressing for 8 wounds.
- A9**—Dressing for 9 or more wounds.
- AA**—Anesthesia services performed by anesthesiologist.
- AD**—Medical supervision by a physician, more than four concurrent anesthesia procedures.
- AE**—Registered Dietician.

- AF**—Specialty Physician.
- AG**—Primary Physician.
- AH**—Clinical Psychologist (CP) services. [Used when a medical group employs a CP and bills for the CP's service.]
- AI**—Principal physician of record.
- AJ**—Clinical Social Worker (CSW). [Used when a medical group employs a CSW and bills for the CSW's service.]
- AK**—Nonparticipating Physician.
- AM**—Physician, team member service.
- AP**—Determination of refractive state not performed in the course of diagnostic ophthalmological examination.
- AQ**—Physician providing a service in an unlisted health professional shortage area (HPSA).
- AR**—Physician Provider Services in a Physician Scarcity Area (PSA). [Effective for dates of service on or after January 1, 2005.]
- AS**—Physician Assistant, Nurse Practitioner, or Clinical Nurse Specialist services for assistant at surgery.
- AT**—Acute treatment. (This modifier should be used when reporting a spinal manipulation service [codes 98940, 98941, and 98942].) Effective dates of service October 1, 2004, and after.
- CC**—Procedure code changed. [This modifier is used when the submitted procedure code is changed either for administrative reasons or because an incorrect code was filed.]
- CR**—Catastrophe/disaster related.
- EJ**—Subsequent claims for a defined course of therapy (example: EPO, sodium hyaluronate).
- EM**—Emergency reserve supply (for ESRD benefit only).
- EP**—Service provided as part of Medicaid early periodic screening diagnosis and treatment (EPSDT) program.

The following modifiers are used to identify various body parts that might need to be identified when multiple procedures are reported.

- E1**—Upper Left, Eyelid.
- E2**—Lower Left, Eyelid.
- E3**—Upper Right, Eyelid.
- E4**—Lower Right, Eyelid.
- FA**—Left Hand, Thumb.
- F1**—Left Hand, Second Digit.
- F2**—Left Hand, Third Digit.
- F3**—Left Hand, Fourth Digit.
- F4**—Left Hand, Fifth Digit.
- F5**—Right Hand, Thumb.
- F6**—Right Hand, Second Digit.
- F7**—Right Hand, Third Digit.

(continues)

(continued)

F8—Right Hand, Fourth Digit.

F9—Right Hand, Fifth Digit.

LM—Left Main Coronary Artery.

LT—Left Side. [Used to identify procedures performed on the left side of the body.]

RC—Right Coronary Artery.

RI—Ramus Intermedius Coronary Artery.

RT—Right Side. [Used to identify procedures performed on the right side of the body.]

TA—Left Foot, Great Toe.

T1—Left Foot, Second Digit.

T2—Left Foot, Third Digit.

T3—Left Foot, Fourth Digit.

T4—Left Foot, Fifth Digit.

T5—Right Foot, Great Toe.

T6—Right Foot, Second Digit.

T7—Right Foot, Third Digit.

T8—Right Foot, Fourth Digit.

T9—Right Foot, Fifth Digit.

Additional Modifiers F to G9

The following is a partial listing of the F to G9 modifiers. Modifiers G1 to G6 are used to report information about dialysis services. End Stage Renal Disease (ESRD) facilities report CPT code 90999 (unlisted dialysis procedure), and one of the G modifiers (G1, G2, G3, G4, and G5) on all claims for hemodialysis to reflect the most recent urea reduction ratio (URR). Medicare reviews the reported G1 to G5 modifier to determine the adequacy of dialysis to measure the quality of dialysis services. Code 90999-G6 reports to Medicare that less than six dialysis sessions have been provided in a month.

FP—Service provided as part of Medicaid Family Planning Program.

FX—X-ray taken using film.

G1—Most recent urea reduction ratio (URR) reading of less than 60.

G2—Most recent urea reduction ratio (URR) reading of 60 to 64.9.

G3—Most recent urea reduction ratio (URR) of 65 to 69.9.

G4—Most recent urea reduction ratio (URR) of 70 to 74.9.

G5—Most recent urea reduction ratio (URR) reading of 75 or greater.

G6—ESRD patient for whom less than six dialysis sessions have been provided in a month.

G7—Pregnancy resulted from rape or incest, or pregnancy is certified by physician as life threatening.

G8—Monitored Anesthesia Care (MAC) for deep complex, complicated, or markedly invasive surgical procedure.

G9—Monitored Anesthesia Care (MAC) for patient who has history of severe cardio-pulmonary condition.

G Modifiers

Knowledge of the following G modifiers is important if you are reporting services for Medicare patients; use of these modifiers will help prevent Medicare payment denials and allows for the proper payment of Medicare claims.

- GA**—Waiver of Liability Statement on file. [Effective for dates of service on or after October 1, 1995, a physician or supplier should use this modifier to note that the patient has been advised of the possibility of noncoverage.]
- GC**—This service has been performed in part by a resident under the direction of a teaching physician.
- GE**—This service has been performed by a resident without the presence of a teaching physician under the primary care exception.
- GG**—Performance and payment of a screening mammogram and diagnostic mammogram on the same patient, same day.
- GH**—Diagnostic mammogram converted from screening mammogram on same day.
- GJ**—“Opt Out” physician or practitioner emergency or urgent service.
- GM**—Multiple patients on one ambulance trip.
- GN**—Services delivered under an outpatient speech language pathology plan of care.
- GO**—Services delivered under an occupational therapist plan of care.
- GP**—Services delivered under a physical therapist plan of care.
- GQ**—Via asynchronous telecommunications system.
- GT**—Via interactive audio and video telecommunication systems.
- GV**—Attending physician not employed or paid under arrangement by the patient’s hospice provider.
- GW**—Service not related to the hospice patient’s terminal condition.
- GY**—Item or service statutorily excluded or does not meet the definition of any Medicare benefit.
- GZ**—Item or service expected to be denied as not reasonable and necessary.

Modifiers J Through V

The following is a partial list of modifiers J to V. A complete listing of modifiers J to V is found in the HCPCS Level II manual. This partial listing helps to outline the types of modifiers that are found in this range of modifiers.

- J1**—Competitive Acquisition Program (CAP), no-pay submission for a prescription number.
- J2**—Competitive Acquisition Program (CAP), restocking of emergency drugs after emergency administration and a prescription number.
- J3**—Competitive Acquisition Program (CAP), drug not available through CAP as written, reimbursed under average sales price (ASP) methodology.
- KL**—DMEPOS item delivered via mail.
- KO**—Single drug unit dose formulation.
- KP**—First drug of a multiple drug unit dose formulation.
- KQ**—Second or subsequent drug of a multiple drug unit dose formulation.
- KX**—Therapy cap exception has been approved, or it meets all the guidelines for an automatic exception.

(continues)

(continued)

- LC**—Left circumflex coronary artery.
- LD**—Left anterior descending coronary artery.
- LR**—Laboratory round-trip.
- LS**—FDA-monitored intraocular lens implant.
- Q3**—Live kidney donor and related services.
- Q4**—Service for ordering/referring physician qualifies as a service exemption.
- Q5**—Service furnished by a substitute physician under a reciprocal billing arrangement.
- Q6**—Service furnished by a locum tenens physician.
- Q7**—One Class A finding.
- Q8**—Two Class B findings.
- Q9**—One Class B and Two Class C findings.
- QA**—FDA investigational device exemption.
- QB**—Physician providing service in a rural Health Professional Shortage Area (HPSA).
- QC**—Single channel monitoring.
- QD**—Recording and storage in solid-state memory by digital recorder.
- QK**—Medical direction of two, three, or four concurrent anesthesia procedures involving qualified individuals.
- QL**—Patient pronounced dead after ambulance called.
- QM**—Ambulance service provided under arrangement by a provider of services.
- QN**—Ambulance service furnished directly by a provider of services.
- QP**—Documentation is on file showing that the laboratory test(s) was ordered individually or ordered as a CPT-recognized panel other than automated profile codes 80002–80019, G0058, G0059, and G0060.
- QS**—Monitored anesthesia care service.
- QT**—Recording and storage on a tape by an analog tape recorder.
- QW**—Clinical Laboratory Improvement Amendment (CLIA) waived test. (Modifier used to identify waived tests.)
- QX**—CRNA service with medical direction by a physician.
- QY**—Anesthesiologist medically directs one CRNA.
- QZ**—CRNA service without medical direction by a physician.
- RD**—Drug provided to beneficiary but not administered “incident to.”
- SF**—Second opinion ordered by a Professional Review Organization (PRO) per Section 9401, P.L. 99-272 (100% reimbursement—no Medicare deductible or coinsurance).
- SG**—Ambulatory Surgical Center (ASC) facility service.
- SL**—State supplied vaccine.
- SW**—Services provided by a Certified Diabetic Educator.
- SY**—Persons who are in close contact with member of high-risk population (use only with codes for immunizations).
- TC**—Technical Component. Under certain circumstances, a charge may be made for the technical component alone. Under those circumstances, adding modifier TC to the usual procedure number identifies the technical component charge. **Note:** The TC modifier should not be appended to procedure codes that represent the technical component (e.g., 93005).

TG—Complex/higher level of care.

UN—Two patients served.

UP—Three patients served.

UQ—Four patients served.

UR—Five patients served.

US—Six or more patients served.

VP—Aphakic patient.

Ambulance Origin and Destination Modifiers

The following modifiers are used to designate the place of origin and destination of a transport. The first position identifies the place of origin, and the second position identifies the destination.

EXAMPLE: A patient is picked up at the scene of an accident and transported to a hospital. Place “S” (scene of accident or acute event) in the first modifier position to indicate the place of origin. Place “H” (hospital) in the second modifier position to indicate the destination of the patient.

D—Diagnostic or therapeutic site other than “P” or “H” when these are used as origin codes.

E—Residential, domiciliary, custodial facility (other than an 1819 facility).

G—Hospital Based ESRD facility.

H—Hospital.

I—Site of transfer (e.g., airport or helicopter pad) between modes of ambulance transport.

J—Free-standing ESRD facility.

N—Skilled Nursing Facility.

P—Physician’s office.

R—Residence.

S—Scene of Accident or Acute Event.

X—Intermediate stop at physician’s office on the way to the hospital (Destination code only).

Summary

- Modifiers offer additional information to insurance payers and Medicare to release payment for services.
- Modifiers work as adjectives in describing services provided to patients.
- Some modifiers affect payment.
- Some modifiers are for information only.
- Modifiers indicate that additional information may be found in the supporting documentation.
- The two types of modifiers are CPT Level I modifiers and HCPCS Level II modifiers.

Internet Links

For federal regulatory information about physician billing and payment, go to <http://www.cms.gov> and search physician billing.

Chapter Review

Fill in the Blank

Instructions: Fill in the blanks in the statements that follow.

1. A CPT modifier is a(n) _____ digit modifier appended to a CPT code to indicate that a service or procedure has been altered.
2. A complete listing of Level I modifiers commonly found in the CPT coding book can be found in _____.
3. When billing physician services, place modifiers in item _____ of the CMS-1500 form.
4. Statistical modifiers, also known as _____ modifiers, are used for informational purposes and affect the processing or payment of the code billed but do not affect the fee.
5. Modifier 99 indicates that _____ modifiers are needed for an individual CPT code.
6. Modifier 56 is used only when _____ management is provided.
7. A mandated service is reported using modifier _____.
8. When a surgeon completes only the surgical care, modifier _____ should be appended to the CPT procedure code.
9. To report the services of the assistant surgeon, add modifier _____ to the procedure code.
10. Modifier 90 is used on _____ laboratory or reference laboratory procedure codes to indicate that the procedure was performed by a party other than the treating or reporting physician.

Identify the Modifier

Instructions: For the following situations, list the correct modifier to use, or supply a short answer.

1. Two surgeons _____
2. Unusual anesthesia _____
3. Increased procedural services _____
4. Reduced services _____
5. Postoperative management only _____
6. Explain when modifier 26 is used. _____
7. Explain when modifier 47 is used. _____
8. When a bilateral procedure is performed in the same operative session and the CPT code describes a unilateral procedure, which modifier should be appended to the CPT code? _____
9. Which modifier is used to indicate that a different provider performed the preoperative procedure management of a patient? _____

10. Repeat procedure or service by the same physician or other qualified health care professional _____
11. Discontinued procedure _____
12. Decision for surgery _____
13. Surgical team _____
14. Assistant surgeon _____
15. Professional component _____
16. What modifier would be added to code 90999 to indicate that a patient's most recent URR reading was 61.4? _____
17. Right hand, fourth digit _____
18. Multiple patients were transported on one ambulance trip. Which modifier should be appended to the service code? _____
19. Minimum assistant surgeon _____
20. Repeat clinical diagnostic laboratory test _____

Case Studies

Review each case and indicate the correct code(s).

Case 1

Marty went to the doctor's office with a sore throat and an upset stomach. The doctor performed an exam and evaluation of Marty. In the course of the evaluation, Marty mentioned he was having some back pain. The doctor also evaluated this issue and performed an osteopathic manipulation on one body region. The doctor reported a 99213 with a(n) _____ modifier and a 98925 for the OMT.

Case 2

Dr. Albert is performing a complicated pyeloplasty on Kelly. Kelly was tolerating the procedure fairly well until her blood pressure began to drop dangerously low. After having trouble stabilizing her, Dr. Albert discontinued the procedure because he felt it would be too dangerous to continue. The doctor reported the part of the service he performed with a 50400 and a(n) _____ modifier.

Case 3

Jamie South was out of town playing football two weeks ago, and he sustained a broken ankle. He was taken to the local hospital, and Dr. Books performed a closed treatment of trimalleolar ankle fracture with manipulation. Today he is being seen by Dr. Thompson for the postoperative care for the fracture treatment. Dr. Thompson should report code 27818 with modifier _____.

Case 4

Aza is a 19-day-old neonate who weighs 3.2 kg and who is undergoing an arthrotomy with biopsy of the interphalangeal joint. The surgeon reports code 28054 with modifier _____.

Case 5

Dr. Cook is performing a pulmonary valve replacement. Dr. Samson is the assistant surgeon for the case. Dr. Cook reports code 33475, whereas Dr. Samson should report _____.

Case 6

Sam is a 10-year-old child who has had chronic ear infections for the last year. Today Dr. Abbes has decided that Sam needs to have tubes inserted into his ears. This is scheduled to occur in three weeks. Today's visit was coded with 99214 appended with modifier _____.

Case 7

James Tree is a patient at an intermediate care facility. Today he is being seen by Dr. Rip because of a state mandate for the resident to be seen every six months. Code 99309 was reported with modifier _____ to report the mandated service.

Case 8

Dr. Whoo interprets an MRI of the temporomandibular joint. This is reported with code 70336, appended with modifier _____.

Case 9

Drs. Jones and Smith work as a surgical team to perform a double lung transplant with cardiopulmonary bypass. Dr Jones would report code 32854, and Dr. Smith would report code 32854-66. Is this correct? _____

Case 10

Dr. Patel performed a therapeutic pneumothorax on Sal Desai and reported code 32960. Later that same day, the procedure was repeated by Dr. Patel. How should the second procedure be reported? _____